Toll Free UAE Numero Verde EAU
800 22676 CAMPO

HOTLINE LEBANON
1575

Refrigeration . Dishwashers . Laundry . Cookers . Air Conditioning

PASSION FOR INNOVATION

Campomatic S.R.L., Via Configliachi 5/B . 35031 Abano Terme (Padova) , ITALIA

42 YEARS OF INNOVATIONS
SINCE 1970

WWW.CAMPOMATIC.IT

L'Arte della Vita Italiana

L'Arte della Vita Italiana

FREE STANDING INNOVATIONS

CAMPOMATIC

MADE IN ITALY

L'Arte della Vita Italiana

Established at CampoSampiero in Italy in 1970, the Campomatic brand name was inspired by its birthplace and the words 'CampoSampiero" & 'Automatic Washing Machine'. Campomatic was the first to introduce fully automated washing machines to the Middle East region back in the 1970s. Over the years, the Italian brand went on to tap into the latest technologies as a means of catering to a highly digital lifestyle and in turn expanded its portfolio to contain more than 500 of the finest quality appliances through 65 different factories around the world.

This further affirmed the manufacturer's position as one of the main authorities in digital electronics, home appliances and energy products industry.

Campomatic grew its distribution capabilities globally and consolidated its business activities through four global headquarters to meet the company's new strategic goals:

Regional Office Europe & CIS: CAMPOMATIC ITALIA S.R.L in Padova, Italy
Regional Office Middle East, Africa and Asia-Pacific: CAMPOMATIC OFF-SHORE S.A.L in Beirut, Lebanon
Regional Office Far East: CAMPOMATIC HONG KONG LIMITED in Hong Kong
Regional Logistics Hub: CAMPOMATIC GULF TRADING L.L.C in Dubai, UAE

Campomatic's passion for innovation, quality and elegance led to extensive investment in research and development to produce a range of products that offers an exhilarating mix of Italian design and technology, in which impressive style is at the forefront & functionality enriches the user experience.

L'Arte della Vita Italiana

Today, 60% of Campomatic's turnover is generated from Italian-made products and the remaining 40% from various suppliers in select production capitals such as: Great Britain, South Korea, Turkey, Vietnam and China.

It produces one of the largest product ranges available and 9 state-of-the-art product lines that include: Major Home Appliances, Consumer Electronics, Small Home Appliances , Personal Care, Cleaning Systems , Fitness , HVAC , Built-in Appliances & Energy.

CE GS CB RoHS UL SASO



L'Arte della Vita Italiana

INDEX

- REFRIGERATION 8
- DISHWASHERS 36
- LAUNDRY 44
- COOKERS 72
- AIR CONDITIONING 94
- SPECIFICATIONS 114
- GLOBAL NETWORK 130

REFRIGERATION

- ITALIAN RETRO — 10
- QUATTRO & TRIO — 12
- ITALIAN DUO — 16
- ITALIAN COMBI — 18
- DUO & COMBI — 20
- TOP MOUNT — 22
- DEFROST — 28
- BEVERAGE COOLERS — 30
- UPRIGHT FREEZERS — 32
- CHEST FREEZERS — 34

Retro

black silver cream white italia red pink yellow blue turquoise

Made in italy

FC430/F365/F300

Bottom Mount **FC430**
Capacity **316L**
WxHxD : 59.2x188x65cm

Top Mount **F365**
Capacity **315L**
WxHxD : 60x171x65cm

One Door **F300**
Capacity **275L**
WxHxD : 60x160x65cm

EN **Retro Design**
- Available in :
- Bottom Mount, Top Mount & 1 Door
- Delux Handle
- Glass Shelves
- Vegetable crisper
- Bottle rack

FR **Design Retro**
- Disponible avec :
- Congélateur en Bas, en Haut ou 1 Porte
- Poignée de Luxe
- Clayettes en Verre
- Bac à Légumes
- Porte-bouteille

IT **Frigoriferi Retro**
- Disponibile in diverse tipologie:
- Combinato, 2 Porte & 1 Porta
- Maniglia Elegante
- Ripiani regolabili in cristallo
- Verduriere
- Ripiano per bottiglie

AR تصميم "ريترو"
- متوفر :
- فريزر سفلي، فريزر عالي و باب واحد
- مسكة فخمة
- رفوف زجاجية
- جوارير للخضر
- حاملة زجاجات

FRF254DSS with Dispenser

FR254SS without Dispenser

Capacity **557L**

WxHxD : 91x177x76cm

reddot design award

QUATTRO

EN Quattro 4 Door No-Frost Refrigerator

- 3D Multi Air Flow
- Electronic Display
- Adjustable Spill Proof Glass Shelves
- Automatic Ice Maker 2kg/Day
- Interior LED Light
- Water Dispenser (FRF254DSS)
- Chilled Room
- XL Freezer Drawer
- Humidity Controlled Crispers
- Door Alarm
- Super Freeze & Super Cool Functions

IT Frigorifero Quattro 4 Porte No-Frost

- Sistema 3D Multi Air Flow
- Electronic Display
- Ripiani regolabili in cristallo
- Produttore di ghiaccio automatico 2kg/Giorno
- Luce Interna a LED
- Dispenser per acqua (FRF254DSS)
- Contenitore a Bassa Temperature
- Scomparto congelatore a cassette XL
- Verduriere
- Allarme porta aperta
- Funzione Super Cool & Super Freeze

FR Réfrigérateur à Froid Ventilé 4 Portes

- Air Brassé Multidirectionnel
- Affichage Electronique
- Clayettes en Verre Ajustables
- Fabrique de Glaçons 2kg/24hr
- Lampe Interne LED
- Distributeur d'Eau (FRF254DSS)
- Compartiment Fraîcheur
- Tiroir Congélateur Extra Large
- Bac à Légumes à Humidité Régulée
- Alarme Sonore de Porte
- Congélation & Refroidissement Rapides

AR

- براد مضاد للجليد ٤ ابواب "كواترو"
- تبريد مثلث الابعاد متعدد التدفق
- شاشة عرض الكترونية
- رفوف زجاجية قابلة للتعديل مانعة لتسرب السوائل
- صانعة ثلج اوتوماتيكية ٢ كلغ/٢٤ ساعة
- انارة داخلية LED
- موزع مياه (FRF254DSS)
- حجرة تبريد
- جارور فريزر كبير جداً
- جارور للخضر بامكانية التحكم بدرجة الرطوبة
- جهاز انذار للباب
- نظام التبريد السريع للبراد و الفريزر

FRF253SS

Capacity **557L**

WxHxD : 91x177x76cm

reddot design award

TRIO

EN **Trio 3 Door No-Frost Refrigerator**
- 3D Multi Air Flow
- Electronic Display
- Adjustable Spill Proof Glass Shelves
- Twist Ice Maker
- Interior LED Light
- Chilled Room
- XL Freezer Drawer
- Humidity Controlled Crispers
- Door Alarm
- Super Freeze & Super Cool Functions

IT **Frigorifero Quattro 3 Porte No-Frost**
- Sistema 3D Multi Air Flow
- Electronic Display
- Ripiani regolabili in cristallo
- Produttore di ghiaccio “Twist Ice Maker”
- Luce Interna a LED
- Contenitore a Bassa Temperature
- Scomparto congelatore a cassette XL
- Verduriere
- Allarme porta aperta
- Funzione Super Cool & Super Freeze

FR **Réfrigérateur à Froid Ventilé 3 Portes**
- Air Brassé Multidirectionnel
- Affichage Electronique
- Clayettes en Verre Ajustables
- Fabrique de Glaçons à Torsion
- Lampe Interne LED
- Compartiment Fraîcheur
- Tiroir Congélateur Extra Large
- Bac à Légumes à Humidité Régulée
- Alarme Sonore de Porte
- Congélation & Refroidissement Rapides

AR **براد مضاد للجليد ٣ ابواب "تريو"**
- تبريد مثلث الابعاد متعدد التدفق
- شاشة عرض الكترونية
- رفوف زجاجية قابلة للتعديل مانعة لتسرب السوائل
- صانعة ثلج يدوية
- انارة داخلية LED
- حجرة تبريد
- جارور فريزر كبير جداً
- جارور للخضر بامكانية التحكم بدرجة الرطوبة
- جهاز انذار للباب
- نظام التبريد السريع للبراد و الفريزر

FRZ500IT + FR500IT

FRZ500IT

EN
- 7 Drawers
- Quick Freeze
- Silent 43 dB(A)
- Net Volume: 234L

FR
- 7 Tiroirs
- Congélation Rapide
- Silencieux 43 dB(A)
- Volume Net: 234L

IT
- 7 Cassetti
- Quick Freeze
- Silenzioso 43 dB(A)
- Capacità Netta 234L

AR
- ٧ جوارير
- تبريد سريع
- صامت ٤٣ dB(A)
- الحجم الصافي: ٢٣٤ ليتر

FR500IT

EN
- 6 Glass Shelves
- 3 Crisper Drawers
- Silent 39 dB(A)
- Net Volume: 350L

FR
- 6 Clayettes en Verres
- 3 Bacs à Légumes
- Silencieux 39 dB(A)
- Volume Net: 350L

IT
- 6 Ripiani in Cristallo
- 3 Scomparti per Verdure
- Silenzioso 39 dB(A)
- Capacità Netta 350L

AR
- ٦ رفوف زجاجية
- ٣ جوارير للخضر
- صامت ٣٩ dB(A)
- الحجم الصافي: ٣٥٠ ليتر

black red white stainless steel

Made in italy

glossy surface

for white, black & red



WxHxD : 59.2x185.3x60.1cm

EN
- **No-Frost Duo**
- Delux Handle
- Easy Opening & Closing Doors
- Eco function
- Electronic Display
- Reversible Door

FR
- **Duo à Froid Ventilé**
- Poignée de Luxe
- Ouverture & Fermeture Facile des Portes
- Fonction Eco
- Affichage électronique
- Porte Réversible

IT
- **Duo No-Frost**
- Maniglia Elegante
- Facile Apertura e Chiusura della Porta
- Funzione Eco
- Pannello di Controllo Elettronico
- Porte Reversibili

AR
- براد و فريزر مضاد للجليد بابين "ديو"
- مسكة فخمة
- فتح و غلق الابواب سهلة
- نظام Eco
- شاشة عرض الكترونية
- فتحة الباب قابلة ان تعكس

FC500IT

Net Volume Freezer: **75L**
Net Volume Fridge: **217L**
WxHxD : 59.2x185.3x60.1cm

black red white stainless steel

Made in italy

glossy surface

for white, red & black



EN No-frost Bottom Mount Refrigerator

- Delux Handle
- Bottle Shelf & Chilled Room
- Easy Opening & Closing Doors
- 3 Glass Shelves
- Quick freeze & Eco function
- Electronic Display
- Reversible Door
- 3 Crisper Drawer
- 3 Drawers
- Super Silent 43 dB(A)

FR Réfrigérateur Congélateur en Bas No-frost

- Poignée de Luxe
- Porte-Bouteille et Compartiment Fraîcheur
- Ouverture & Fermeture Facile des Portes
- 3 Clayettes en Verre
- Congélation Rapide et Fonction Eco
- Affichage Electronique
- Portes Réversibles
- 3 Bacs à Légumes
- 3 Tiroirs
- Super Silencieux 43 dB(A)

IT Frigorifero Combinato No-Frost

- Maniglia Elegante
- Ripiano per Bottiglie e Contenitore a Bassa Temperature
- Facile Apertura e Chiusura della Porta
- 3 Ripiani in Cristallo
- Funzione Quick Freeze e Funzione Eco
- Pannello di Controllo Elettronico
- Porte Reversibili
- 3 Scomparti per Frutta e Verdure
- 3 Cassetti Trasparenti
- Silenzioso 43 dB(A)

AR براد بفريزر سفلي مضاد للجليد

- مسكة فخمة
- حاملة زجاجات و حجرة تبريد
- فتح و غلق الابواب سهلة
- ٣ رفوف زجاجية
- تبريد سريع و نظام Eco
- شاشة عرض الكترونية
- فتحة الباب قابلة ان تعكس
- ٣ جوارير للخضار
- ٣ جوارير فريزر
- صامت ٤٣ dB(A)

FRZ307N + FR450N

WxHxD : 59.4x175.3x63.4cm

FRZ307NS

EN No-frost Freezer
- LED Display
- 7 Drawers
- Reversible Door
- Delux Handle
- Net Volume: 230L

FR Congélateur No-frost
- Affichage LED
- 7 Tiroirs
- Porte Réversible
- Poignée de Luxe
- Volume Net: 230L

IT Congelatore No-frost
- Controllo LED
- 7 Cassetti
- Maniglia Elegante
- Capacità Netta 230L

AR فريزر مضاد للجليد
- شاشة عرض LED
- ٧ جوارير
- مسكة فخمة
- الحجم الصافي: ٢٣٠ ليتر

FR450NS

EN No-frost Larder
- LED Display
- 5 Glass Shelves
- Reversible Door
- Delux Handle
- Net Volume: 350L

FR Réfrigérateur No-frost
- Affichage LED
- 5 Clayettes en Verre
- Porte Réversible
- Poignée de Luxe
- Volume Net: 350L

IT Frigorifero No-frost
- Controllo LED
- 5 Ripiani in Vetro
- Maniglia Elegante
- Capacità Netta 350L

AR براد مضاد للجليد
- شاشة عرض LED
- ٥ رفوف زجاجية
- مسكة فخمة
- الحجم الصافي: ٣٥٠ ليتر

white stainless steel

FC420/FC300

Bottom Mount **FC420**
Capacity **325L**
WxHxD : 59.5x196x66.4cm

Bottom Mount **FC300**
Capacity **238L**
WxHxD : 55.6x173x67cm

EN **No Frost Combi**
- Vegetable Crispers
- Glass Shelves
- Stainless Steel Handle
- Reversible Doors
- 3 Clear Plastic Drawers
- Deodorizer

FR **Réfrigérateur No Frost Combiné**
- Bacs à Légumes
- Clayettes en Verre
- Poignée en Inox
- Portes Réversibles
- 3 Tiroirs Transparents
- Filtre Anti-bactéries

IT **Frigorifero Combinato No Frost**
- Verduriere
- Ripiani in Vetro
- Maniglia in Acciaio Inox
- Porte Reversibili
- 3 Cassetti Trasparenti
- Rivestimento Antibatterico

AR **براد Combi مضاد للجليد**
- جوارير للخضر
- رفوف زجاجية
- مسكة من الستانلس ستيل
- فتحة الباب قابلة للتعديل
- ٣ جوارير شفافة
- فلتر مضاد للبكتيريا

stainless steel white

FR820/FR720/FR660

FR820 **WxHxD :** 80.5x183.5x74.8cm - Gross Vol: **820L**
FR720 **WxHxD :** 75.5x186x74.8cm - Gross Vol: **720L**
FR660 **WxHxD :** 75.5x175x74.8cm - Gross Vol: **660L**

EN **No Frost Refrigerator**
- 3D Multi Air Flow
- Chilled Room
- Glass Shelves
- Twist Ice Maker
- Deluxe Handle
- Vegetable Crisper
- Anti-Bacteria Deodorizer

FR **Réfrigérateur à Froid Ventilé**
- Air Brassé Multidirectionnel
- Compartiment Fraîcheur
- Clayettes en Verres
- Fabrique de Glaçons à Torsion
- Poignée de Luxe
- Bacs à Légumes à Humidité Régulée
- Filtre Anti-bactéries

IT **Frigorifero No-Frost**
- Sistema 3D Multi Air Flow
- Contenitore a Bassa Temperature
- Ripiani in Vetro
- Twist Ice Maker
- Maniglia Elegante
- Verduriere
- Rivestimento Antibatterico

AR **براد مضاد للجليد**
- مثلث الابعاد تبريد متعدد التدفق
- حجرة تبريد
- رفوف زجاجية
- صانعة ثلج مع قوالب خاصة للمكعبات
- مسكة فخمة
- جوارير للخضر
- فلتر مضاد للبكتيريا

white stainless steel silver

FR680T/FR660T/FR500T

SASO

FR680T **WxHxD** : 73x177.5x68cm - Net Vol: **521L**
FR660T **WxHxD** : 73x172x68cm - Net Vol: **500L**
FR580T **WxHxD** : 70x177.5x56.5cm - Net Vol: **406L**

EN
- No Frost Refrigerator
- 3D Multi Air Flow
- Chilled Room
- Vegetable Crispers
- Glass Shelves
- Twist Ice Maker
- Deluxe Handle
- Reversible Doors
- Anti-Bacteria Deodorizer

IT
- Frigorifero No-Frost
- Sistema 3D Multi Air Flow
- Contenitore a Bassa Temperature
- Verduriere
- Ripiani in Vetro
- Twist Ice Maker
- Maniglia Elegante
- Porte Reversibili
- Rivestimento Antibatterico

FR
- Réfrigérateur à Froid Ventilé
- Air Brassé Multidirectionnel
- Compartiment Fraîcheur
- Bacs à Légumes
- Clayettes en Verre
- Fabrique de Glaçons à Torsion
- Poignée de Luxe
- Portes Réversibles
- Filtre Anti-bactéries

AR
- براد مضاد للجليد
- مثلث الابعاد تبريد متعدد التدفق
- حجرة تبريد
- جواريز للخضر
- رفوف زجاجية
- صانعة ثلج مع قوالب خاصة للمكعبات
- مسكة فخمة
- فتحة الباب قابلة للتعديل
- فلتر مضاد للبكتيريا

silver stainless steel white

FR500/FR440
FR330/FR250

white | stainless steel | silver

FR500

FR440

FR330
FR250

FR500 **WxHxD :** 69x171.2x70cm - Gross Vol: **500L**
FR440 **WxHxD :** 67.5x168x66.6cm - Gross Vol: **440L**
FR330 **WxHxD :** 54.5x160x66.8cm - Gross Vol: **330L**
FR250 **WxHxD :** 54.5x126.3x53.6cm - Gross Vol: **250L**

Frost Free

EN
- No Frost Refrigerator
- 3D Multi Air Flow
- Chilled Room
- Glass Shelves
- Twist Ice Maker
- Deluxe Handle (FR500 & FR440)
- Vegetable Crisper
- Anti-Bacteria Deodorizer

FR
- Réfrigérateur à Froid Ventilé
- Air Brassé Multidirectionnel
- Compartiment Fraîcheur
- Clayettes en Verres
- Fabrique de Glaçons à Torsion
- Poignée de Luxe (FR500 & FR440)
- Bacs à Légumes à Humidité Régulée
- Filtre Anti-bactéries

IT
- Frigorifero No-Frost
- Sistema 3D Multi Air Flow
- Contenitore a Bassa Temperature
- Ripiani in Vetro
- Twist Ice Maker
- Maniglia Elegante (FR500 & FR440)
- Verduriere
- Rivestimento Antibatterico

AR
- براد مضاد للجليد
- مثلث الابعاد تبريد متعدد التدفق
- حجرة تبريد
- رفوف زجاجية
- صانعة ثلج مع قوالب خاصة للمكعبات
- مسكة فخمة (FR500 & FR440)
- جوارير للخضر
- فلتر مضاد للبكتيريا

TORINO

FR480/FR350/FR270

FR480 **WxHxD :** 60x175x57.5cm - Gross Vol: **480L**
FR350 **WxHxD :** 60x160x57.5cm - Gross Vol: **350L**
FR270 **WxHxD :** 55.1x143x57cm - Gross Vol: **270L**

EN **Defrost Fefrigerator**
- Glass Shelves
- Light
- Reversible Door
- Vegetable Crisper

FR **Réfrigérateur à dégivrage**
- Clayettes en Verres
- Lampe
- Porte Réversible
- Bac à Légumes à Humidité Régulée

IT **Frigorifero Defrost**
- Ripiani in Vetro
- Illuminazione Interna
- Porta Reversibile
- Verduriere

AR **Defrost براد**
- رفوف زجاجية
- لمبة
- فتحة الباب قابلة للتعديل
- جارور للخضر

white stainless steel

FR153/FR143

extra wide 53cm



FR153 **WxHxD :** 53.5x84x52.6cm - Gross Vol: **153L**
FR143 **WxHxD :** 48.6x83.5x53.6cm - Gross Vol: **143L**

EN **Single Door Refrigerator**
- Can Dispenser System (FR153)
- Laminated Table Top
- Light
- Reversible Door
- Vegetable Crisper

FR **Réfrigérateur 1 Porte**
- Emplacement pour Canettes (FR153)
- Top Laminé
- Lampe
- Porte Réversible
- Bac à Légumes à Humidité Régulée

IT **Frigorifero Mono Porta**
- Sistema Can Dispenser (FR153)
- Parte Superiore Laminata
- Illuminazione Interna
- Porta Reversibile
- Verduriere

AR براد باب واحد
- مخزن للصحيفات المعدنية (FR153)
- غطاء بوظيفة طاولة
- لمبة
- فتحة الباب قابلة للتعديل
- جارور للخضر

stainless steel white

WBC100

x100

WBC100 **WxHxD :** 59.6x148.6x62.1cm - Net Vol: **318L**

EN **Beverage Cooler**
- 100 Bottles capacity
- Stainless Steel Handle
- Stainless Steel Door Frame
- Wooden Shelves
- LED Temperature Control
- Double Layer Glass Door

FR **Cave**
- Capacité de 100 Bouteilles
- Poignée en Inox
- Cadre de la Porte en Inox
- Clayettes en Bois
- Contrôle à Affichage LED
- Porte en Verre à Double Isolation

IT **Cantinetta**
- Capacità 100 Bottiglie
- Maniglia in Acciaio Inox
- Cornice Porta in Acciaio Inox
- Rastrelliere in Legno
- Controllo della Temperatura LED
- Porta con Doppio Vetro
- Porta Reversibile

AR **براد**
- سعة ١٠٠ زجاجة
- مسكة من الستانلس ستيل
- هيكل الباب من الستانلس ستيل
- رفوف من الخشب
- شاشة عرض للتحكم LED
- باب من الزجاج بعازل مزدوج

WBC40
WBC35

x40

WBC40 **WxHxD :** 54.5x86.5x50.5cm - Net Vol: **133L**
WBC35 **WxHxD :** 48x85.2x48cm - Net Vol: **104L**

EN **Beverage Cooler**
- 35/40 Bottles capacity (WBC35/WBC40)
- Stainless Steel Handle
- Stainless Steel Door Frame
- Wooden Shelves
- LED Temperature Control
- Double Layer Glass Door

FR **Cave**
- Capacité 35/40 Bouteilles (WBC35/WBC40)
- Poignée en Inox
- Cadre de la Porte en Inox
- Clayettes en Bois
- Contrôle à Affichage LED
- Porte en Verre à Double Isolation

IT **Cantinetta**
- Capacità 35/40 Bottiglie (WBC35/WBC40)
- Maniglia in Acciaio Inox
- Cornice Porta in Acciaio Inox
- Rastrelliere in Legno
- Controllo della Temperatura LED
- Porta con Doppio Vetro
- Porta Reversibile

AR **براد**
- سعة ٣٥/٤٠ زجاجة (WBC35/WBC40)
- مسكة من الستانلس ستيل
- هيكل الباب من الستانلس ستيل
- رفوف من الخشب
- شاشة عرض للتحكم LED
- باب من الزجاج بعازل مزدوج

FRZ212/FRZ211

FRZ212 **WxHxD :** 54.9x144x56cm - Gross Vol: **200L**
FRZ211 **WxHxD :** 54x144x57cm - Gross Vol: **200L**

EN **Upright Freezer**
- 6 Drawers (FRZ212)
- 5 Drawers (FRZ211)
- 4 Star Freezer
- Reversible Door

IT **Congelatori a Colonna**
- 6 Cassetti (FRZ212)
- 5 Cassetti (FRZ211)
- 4 Stelle
- Porta Reversibile

FR **Congélateur Armoire**
- 6 Tiroirs (FRZ212)
- 5 Tiroirs (FRZ211)
- Congélateur 4 Etoiles
- Porte Réversible

AR **فريزر عامودي**
- ٦ جوارير (FRZ212)
- ٥ جوارير (FRZ211)
- فريزر ٤ نجوم
- فتحة الباب قابلة للتعديل

white stainless steel

FRZ111

FRZ111 **WxHxD :** 55.1x85x55.6cm - Gross Vol: **100L**

EN **Upright Freezer**
- 4 Transparent Drawers
- 4 Star Freezer
- Reversible Door

FR **Congélateur Armoire**
- 4 Tiroirs Transparents
- Congélateur 4 Etoiles
- Porte Réversible

IT **Congelatori a Colonna**
- 4 Cassetti Trasparenti
- 4 Stelle
- Porta Reversibile

AR **فريزر عامودي**
- ٤ جوارير شفافة
- فريزر ٤ نجوم
- فتحة الباب قابلة للتعديل

stainless white

CF320 / CF280 / CF208 / CF158

cm	Height	Width	Depth
CF 320	91.2	122.7	71.2
CF 280	91.2	14.7	71.2
CF 208	89	113	58.5
CF 158	89	84	58.5

EN
- 1 Door Chest Freezer
- 4 Star Freezer
- Balanced Hinge
- Fast Freezing
- Adjustable Thermostat

FR
- Congélateur Coffre 1 Porte
- Congélateur 4 Etoiles
- Porte Auto Compensée
- Congélation Rapide
- Thermostat Ajustable

IT
- Congelatore Orizzontale Mono Porta
- 4 Stelle
- Basso Consumo Energetico
- Congelamento Rapido
- Termostato Regolabile

AR
- فريزر طراز صندوق باب واحد
- فريزر ٤ نجوم
- فتحة الباب متوازنة
- تبريد سريع
- مفتاح تحكم بالحرارة

CF925 / CF750 / CF650 / CF550
CF420 / CF370

cm	Height	Width	Depth
CF 925	104.5	257.9	87.8
CF 750	96.5	175.9	79.1
CF 650	100	200	78
CF 550	96.5	175.9	79.1
CF 420	96.5	143.2	96.5
CF 370	96.5	133.2	96.5

EN 2 Door Chest Freezer
- 4 Star Freezer
- Balanced Hinge
- Fast Freezing
- Adjustable Thermostat

FR Congélateur Coffre 2 Portes
- Congélateur 4 Etoiles
- Porte Auto Compensée
- Congélation Rapide
- Thermostat Ajustable

IT Congelatore Orizzontale Due Porte
- 4 Stelle
- Basso Consumo Energetico
- Congelamento Rapido
- Termostato Regolabile

AR فريزر طراز صندوق بابين
- فريزر ٤ نجوم
- فتحة الباب متوازنة
- تبريد سريع
- مفتاح تحكم بالحرارة



DISHWASHERS

DW999ES

EN
- 14 Place Settings
- Electronic Control with LED
- 7 Programs
- Special Programs: Auto, 3 in 1, Eco
- Adjustable Basket
- Full Stainless Body and Door
- Delay Timer
- AAA Class

FR
- 14 Couverts
- Contrôle Electronique Affichage LED
- 7 Programmes
- Fonctions Spéciales : Auto, 3en1, Eco
- Panier Ajustable
- Lave Vaisselle en Inox
- Départ Différé
- Energie Label AAA

IT
- 14 Coperti
- Controllo Elettronico con LED
- 7 Programmi
- Cicli Speciali: Auto, 3 in 1, Eco
- Cesto Regolabile
- Partenza Ritardata
- Classe AAA

AR
- ١٤ معيار
- تحكم الكتروني بشاشة LED
- ٧ برامج
- انظمة خاصة: اوتو، ٣ب١، توفير
- سلة قابلة للتعديل
- مصنوعة من الستانلس ستيل
- مؤقت للتشغيل
- طاقة AAA

red stainless steel

DW909XES

Delay Timer

A++AA

EN 14 Place Settings
- Electronic Control with LED
- 7 Programs
- Adjustable Basket
- Delay Timer
- A++AA Class

FR 14 Couverts
- Contrôle Electronique Affichage LED
- 7 Programmes
- Panier Ajustable
- Départ Différé
- Energie Label A++AA

IT 14 Coperti
- Controllo Elettronico con LED
- 7 Programmi
- Cesto Regolabile
- Partenza Ritardata
- Classe A++AA

AR ١٤ معيار
- تحكم الكتروني بشاشة LED
- ٧ برامج
- سلة قابلة للتعديل
- مؤقت للتشغيل
- طاقة A++AA

DW914ES / DW814EW

AAA

EN 12 Place Settings
- Electronic Control with LED
- 4 Programs
- Adjustable Basket
- AAA Class

FR 12 Couverts
- Contrôle Electronique Affichage LED
- 4 Programmes
- Panier Ajustable
- Energie Label AAA

IT 12 Coperti
- Controllo Elettronico con LED
- 4 Programmi
- Cesto Regolabile
- Classe AAA

AR ١٢ معيار
- تحكم الكتروني بشاشة LED
- ٤ برامج
- سلة قابلة للتعديل
- طاقة AAA

white stainless steel

Made in italy

DW816E

AAB

EN
- 12 Place Settings
- Electronic Control with LED
- 5 Programs
- AAB Class

FR
- 12 Couverts
- Contrôle Electronique Affichage LED
- 5 Programmes
- Energie Label AAB

IT
- 12 Coperti
- Controllo Elettronico con LED
- 5 Programmi
- Classe AAB

AR
- ١٢ معيار
- تحكم الكتروني بشاشة LED
- ٥ برامج
- طاقة AAB

stainless steel white

DW5 I 4EW

AAA

EN
- 8 Place Settings
- Electronic Control with LED
- 4 Programs
- AAA Class

FR
- 8 Couverts
- Contrôle Electronique Affichage LED
- 4 Programmes
- Energie Label AAA

IT
- 8 Coperti
- Controllo Elettronico con LED
- 4 Programmi
- Classe AAA

AR
- ٨ معيار
- تحكم الكتروني بشاشة LED
- ٤ برامج
- طاقة AAA

white stainless steel silver

DW214C

AAB

EN
- 6 Place Settings
- Electronic Control with LED
- 5 Programs
- AAB Class

FR
- 6 Couverts
- Contrôle Electronique Affichage LED
- 5 Programmes
- Energie Label AAB

IT
- 6 Coperti
- Controllo Elettronico con LED
- 5 Programmi
- Classe AAB

AR
- ٦ معيار
- تحكم الكتروني بشاشة LED
- ٥ برامج
- طاقة AAB

black silver white

LAUNDRY

- FRONT LOADING WASHER DRYERS 46
- FRONT LOADING WASHERS 48
- TOP LOADING WASHERS 58
- SEMI-AUTOMATIC WASHERS 62
- DRYERS 68

Laundry

WD999XE turbologic XL

white silver black

Made in italy

EN **9Kg Washer-Dryer**
- Electronic Control LED
- 1400 rpm
- 180° Door Opening
- 19 Programs
- Hand Wash / Easy Iron
- Stainless Steel Drum
- Eco Carbon Tub

FR **Lave-linge Séchant 9kg**
- Contrôle Electronique Affichage LED
- Vitesse d'Essorage 1400 tr/mn
- Ouverture de Porte à 180°
- 19 Programmes
- Lavage Main / Repassage Facile
- Tambour en Inox
- Bac en Eco Carbone

IT **Lavasciuga 9Kg**
- Controllo Elettronico LED
- 1400 Giri
- Apertura 180°
- 19 Programmi di Lavaggio
- Lavaggio a Mano / Antipiega
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR غسالة / نشافة ٩ كلغ
- تحكم الكتروني بشاشة LED
- سرعة التعصير ١٤٠٠ برمة بالدقيقة
- فتحة الباب ١٨٠ درجة
- ١٩ برنامج
- غسيل على اليد / كوي سهل
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

WM950XE turbologic XL

NANO SILVER

ANTI BACTERIA

WOOLMARK

Auto Restart

Capacity KG 10

Delay Start

A A

EN 10Kg Washer
- Electronic Control LED
- 1000 rpm
- 180° Door Opening
- 15 Programs
- Hand Wash / Easy Iron
- Stainless Steel Drum
- Eco Carbon Tub

FR Lave-linge 10kg
- Contrôle Electronique Affichage LED
- Vitesse d'Essorage 1000 tr/mn
- Ouverture de Porte à 180°
- 15 Programmes
- Lavage Main / Repassage Facile
- Tambour en Inox
- Bac en Eco Carbone

IT Lavatrice 10Kg
- Controllo Elettronico LED
- 1000 Giri
- Apertura 180°
- 15 Programmi di Lavaggio
- Lavaggio a Mano / Antipiega
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR غسالة ١٠ كلغ
- تحكم الكتروني بشاشة LED
- سرعة التعصير ١٠٠٠ برمة بالدقيقة
- فتحة الباب ١٨٠ درجة
- ١٥ برنامج
- غسيل على اليد / كوي سهل
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

white silver

Made in italy

WM850E turbologic XL

AA | Delay Start | Capacity KG 9 | Auto Restart | WOOLMARK

EN 9Kg Washer
- Electronic Control LED
- 1000 rpm
- 180° Door Opening
- 19 Programs
- Hand Wash / Easy Iron
- Stainless Steel Drum
- Eco Carbon Tub

FR Lave-linge 9kg
- Contrôle Electronique Affichage LED
- Vitesse d'Essorage 1000 tr/mn
- Ouverture de Porte à 180°
- 19 Programmes
- Lavage Main / Repassage Facile
- Tambour en Inox
- Bac en Eco Carbone

IT Lavatrice 9Kg
- Controllo Elettronico LED
- 1000 Giri
- Apertura 180°
- 19 Programmi di Lavaggio
- Lavaggio a Mano / Antipiega
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR غسالة ٩ كلغ
- تحكم الكتروني بشاشة LED
- سرعة التعصير ١٠٠٠ برمة بالدقيقة
- فتحة الباب ١٨٠ درجة
- ١٩ برنامج
- غسيل على اليد / كوي سهل
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

black silver white

WM909XL turbologic XXL

doubleJET

ANTI BACTERIA

EN 9Kg Washer
- Electronic Control LED
- 1200rpm
- 180° Door Opening
- 12 Programs
- Stainless Steel Drum
- Eco Carbon Tub

FR Lave-linge 9kg
- Contrôle Electronique Affichage LED
- Vitesse d'Essorage 1200 tr/mn
- Ouverture de Porte à 180°
- 12 Programmes
- Tambour en Inox
- Bac en Eco Carbone

IT Lavatrice 9Kg
- Controllo Elettronico LED
- 1200 Giri
- Apertura 180°
- 12 Programmi di Lavaggio
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR غسالة ٩ كلغ
- تحكم الكتروني بشاشة LED
- سرعة التعصير ١٢٠٠ برمة بالدقيقة
- فتحة الباب ١٨٠ درجة
- ١٢ برنامج
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

white stainless steel

WM809XE turbologic XL
WM709E turbologic

ANTI BACTERIA

AA

Delay Start

Auto Restart

EN
- 8Kg (WM809E) / 7Kg (WM709E)
- Electronic Control LED
- 1200rpm
- 180° Door Opening
- 8 Programs
- Stainless Steel Drum
- Eco Carbon Tub

FR
- 8Kg (WM809E) / 7Kg (WM709E)
- Contrôle Electronique Affichage LED
- Vitesse d'Essorage 1200 tr/mn
- Ouverture de Porte à 180°
- 8 Programmes
- Tambour en Inox
- Bac en Eco Carbone

IT
- 8Kg (WM809E) / 7Kg (WM709E)
- Controllo Elettronico LED
- 1200 Giri
- Apertura 180°
- 8 Programmi di Lavaggio
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR
- ٨ كلغ (WM809E) / ٧ كلغ (WM809E)
- تحكم الكتروني بشاشة LED
- سرعة التعصير ١٢٠٠ برمة بالدقيقة
- فتحة الباب ١٨٠ درجة
- ٨ برنامج
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

silver white

ANTI BACTERIA

WM808E modena XL
WM608E modena

Auto Restart

A A

EN
- 8Kg (WM808) / 6Kg (WM608)
- 1200rpm (WM808) / 800 rpm (WM608)
- 180° Door Opening
- 12 Programs
- Stainless Steel Drum
- Eco Carbon Tub

FR
- 8Kg (WM808) / 6Kg (WM608)
- 1200 tr/mn (WM808) / 800 tr/mn (WM608)
- Ouverture de Porte à 180°
- 12 Programmes
- Tambour en Inox
- Bac en Eco Carbone

IT
- 8Kg (WM808) / 6Kg (WM608)
- 1200 Giri (WM808) / 800 Giri (WM608)
- Apertura 180°
- 12 Programmi di Lavaggio
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR
- ٨ كلغ (WM808) / ٦ كلغ (WM608)
- ١٢٠٠ برمة بالدقيقة (WM808) / ٨٠٠ برمة (WM808)
- فتحة الباب ١٨٠ درجة
- ١٢ برنامج
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

white silver

Made in italy

WM747 INOX JUMBO

DOUBLE
STAINLESS STEEL
DRUM

Capacity KG 7

EN 7Kg Washer
- 700 rpm
- Separate Adjustable Thermostat
- 15 Programs
- Mechanical Timer
- Stainless Steel Drum & Tub

FR Lave-linge 7kg
- Vitesse d'Essorage 700 tr/mn
- Thermostat Séparé
- 15 Programmes
- Programmateur Mécanique
- Tambour & Bac en Inox

IT Lavatrice 7Kg
- 700 Giri
- Selettore di Temperatura Separato
- 15 Programmi di Lavaggio
- Comando Meccanico
- Cesto e Vasca in Acciaio Inox

AR غسالة ٧ كلغ
- سرعة التعصير ٧٠٠ برمة بالدقيقة
- مفتاح الترموستات منفصل
- ١٥ برنامج
- تايمر ميكانيكي
- جرن داخلي و خارجي من الستانلس ستيل

silver white

WM709T turbologic

AA

Delay Start

Capacity KG 7

Auto Restart

WOOLMARK

EN 7Kg Washer
- Electronic Control LED
- 1200rpm
- 180° Door Opening
- 8 Programs
- Stainless Steel Drum
- Eco Carbon Tub

FR Lave-linge 7kg
- Contrôle Electronique Affichage LED
- Vitesse d'Essorage 1200 tr/mn
- Ouverture de Porte à 180°
- 8 Programmes
- Tambour en Inox
- Bac en Eco Carbone

IT Lavatrice 7Kg
- Controllo Elettronico LED
- 1200 Giri
- Apertura 180°
- 8 Programmi di Lavaggio
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR غسالة ٧ كلغ
- تحكم الكتروني بشاشة LED
- سرعة التعصير ١٢٠٠ برمة بالدقيقة
- فتحة الباب ١٨٠ درجة
- ٨ برنامج
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

white silver

ANTI BACTERIA

WM704E milano

Auto Restart · Capacity KG 6 · A A

EN 6Kg Washer
- Electronic Control
- 600rpm
- 180° Door Opening
- 16 Programs
- Stainless Steel Drum
- Eco Carbon Tub

FR Lave-linge 6kg
- Contrôle Electronique
- Vitesse d'Essorage 600 tr/mn
- Ouverture de Porte à 180°
- 16 Programmes
- Tambour en Inox
- Bac en Eco Carbone

IT Lavatrice 6Kg
- Controllo Elettronico
- 600 Giri
- Apertura 180°
- 16 Programmi di Lavaggio
- Cesto in Acciaio Inox
- Vasca in Eco Carbon

AR غسالة ٦ كلغ
- تحكم الكتروني
- سرعة التعصير ٦٠٠ برمة بالدقيقة
- فتحة الباب ١٨٠ درجة
- ١٦ برنامج
- جرن داخلي من الستانلس ستيل
- جرن خارجي من الكربون

silver white

WM662 INOX

PERFETTO

DOUBLE
STAINLESS STEEL
DRUM

Made in italy

Capacity KG 6

EN **6Kg Washer**
- 600 rpm
- Separate Adjustable Thermostat
- 15 Programs
- Mechanical Timer
- Stainless Steel Drum & Tub

FR **Lave-linge 6kg**
- Vitesse d'Essorage 600 tr/mn
- Thermostat Séparé
- 15 Programmes
- Programmateur Mécanique
- Tambour & Bac en Inox

IT **Lavatrice 6Kg**
- 600 Giri
- Selettore di Temperatura Separato
- 15 Programmi di Lavaggio
- Comando Meccanico
- Cesto e Vasca in Acciaio Inox

AR **غسالة ٦ كلغ**
- سرعة التعصير ٦٠٠ برمة بالدقيقة
- مفتاح الترموستات منفصل
- ١٥ برنامج
- تايمر ميكانيكي
- جرن داخلي و خارجي من الستانلس ستيل

TL15E / TL10E

MULTIJET

NANO SILVER

ANTI BACTERIA

EN **15kg (TL15E) / 12kg (TL12E) Washer**

- LED Display
- Fuzzy Logic Control
- Metal Body
- Stainless Steel Drum
- Lint Filter
- Water Pump

FR **Lave-linge 15kg (TL15E) / 12kg (TL12E)**

- Affichage LED
- Gestion ‘Fuzzy Logic’
- Extérieur Métal
- Tambour en Inox
- Filtre à Fibres
- Pompe d’Evacuation

IT **Lavatrice 15kg (TL15E) / 12kg (TL12E)**

- Display LED
- Sistema Fuzzy Logic
- Struttura in Metallo
- Cesto in Acciaio Inox
- Filtro dal Residuo di Stoffa
- Pompa dell’acqua

AR **غسالة ذوتعبئة سطحية ١٥ كلغ (TL15E) / ١٢ كلغ (TL12E)**

- شاشة عرض LED
- تحكم ”فوزي لوجيك”
- خارجها مصنوع من المعدن
- جرن من الستانلس ستيل
- فلتر للنسيل
- مضخة للماء

TL12E MULTIJET

NANO SILVER

ANTI BACTERIA

EN 12 kgTop Loading Washer
- LED Display
- Fuzzy Logic Control
- Metal Body
- Stainless Steel Drum
- Lint Filter
- Water Pump

FR Lave-linge 12 Kg
- Affichage LED
- Gestion ‘Fuzzy Logic’
- Extérieur Métal
- Tambour en Inox
- Filtre à Fibres
- Pompe d’Evacuation

IT Lavatrice 12 Kg
- Display LED
- Sistema Fuzzy Logic
- Struttura in Metallo
- Cesto in Acciaio Inox
- Filtro dal Residuo di Stoffa
- Pompa dell’acqua

AR غسالة ذوتعبئة سطحية ١٢ كلغ
- شاشة عرض LED
- تحكم "فوزي لوجيك"
- خارجها مصنوع من المعدن
- جرن من الستانلس ستيل
- فلتر للنسيل
- مضخة للماء

white silver

NANO SILVER

ANTI BACTERIA

TL12T / TL10T MULTIJET

EN 12kg (TL12T) / 10kg (TL10T) Washer
- LED Display
- Fuzzy Logic Control
- Metal Body
- Stainless Steel Drum
- Lint Filter
- Water Pump

FR Lave-linge 12kg (TL12T) / 10kg (TL10T)
- Affichage LED
- Gestion ‘Fuzzy Logic’
- Extérieur Métal
- Tambour en Inox
- Filtre à Fibres
- Pompe d’Evacuation

IT Lavatrice 12kg (TL12T) / 10kg (TL10T)
- Display LED
- Sistema Fuzzy Logic
- Struttura in Metallo
- Cesto in Acciaio Inox
- Filtro dal Residuo di Stoffa
- Pompa dell’acqua

AR غسالة ذوتعبئة سطحية ١٢ كلغ (TL12T) / ١٠ كلغ (TL10T)
- شاشة عرض LED
- تحكم "فوزي لوجيك"
- خارجها مصنوع من المعدن
- جرن من الستانلس ستيل
- فلتر للنسيل
- مضخة للماء

silver white

C140P MULTIJET

جمبو Jumbo

C120PS MULTIJET

AVAILABLE WITHOUT PUMP : MODEL NUMBERS C140 & C120

EN 14Kg (C140P) / 12kg (C120PS) Washer
- Semi Automatic
- Wheels
- Lint Filter
- Pump

FR Lave-linge 14Kg (C140P) / 12kg (C120P)
- Semi-automatique
- Roues de Transport
- Filtre à Fibres
- Pompe d'Evacuation

IT Lavatrice 14Kg (C140P) / 12kg (C120PS)
- Semi-Automatica
- Ruote
- Filtro dal Residuo di Stoffa
- Pompa dell'acqua

AR غسالة ١٤ كلغ (C140P) / ١٢ كلغ (C120PS)
- جرنين
- دواليب للنقل
- فلتر للنسيل
- مضخة للماء

ANTI BACTERIA

C120T MULTIJET

جمبو jumbo

SASO

EN
- 10kg Washer
- Semi Automatic
- Wheels
- Lint Filter

FR
- Lave-linge 10Kg
- Semi-automatique
- Roues de Transport
- Filtre à Fibres

IT
- Lavatrice 10Kg
- Semi-Automatica
- Ruote
- Filtro dal Residuo di Stoffa

AR
- غسالة ١٠ كلغ
- جرنين
- دواليب للنقل
- فلتر للنسيل

ANTI BACTERIA

C850PS MULTIJET
C650P MULTIJET

AVAILABLE WITHOUT PUMP : MODEL NUMBERS C850 & C650

EN 8.5Kg (C850PS) / 6.5kg (C650P) Washer
- Semi Automatic
- Wheels
- Lint Filter
- Pump

FR Lave-linge 8.5Kg (C850PS) / 6.5kg (C650P)
- Semi-automatique
- Roues de Transport
- Filtre à Fibres
- Pompe d'Evacuation

IT Lavatrice 8.5Kg (C850PS) / 6.5kg (C650P)
- Semi-Automatica
- Ruote
- Filtro dal Residuo di Stoffa
- Pompa dell'acqua

AR غسالة ٨,٥ كلغ (C850PS) / ٦,٥ كلغ (C650P)
- جرنين
- دواليب للنقل
- فلتر للنسيل
- مضخة للماء

ANTI BACTERIA

C850T MULTIJET
C650T MULTIJET

SASO

EN 7Kg (C850T) / 5kg (C650T) Washer
- Semi Automatic
- Wheels
- Lint Filter

FR Lave-linge 7Kg (C850T) / 5kg (C650T)
- Semi-automatique
- Roues de Transport
- Filtre à Fibres

IT Lavatrice 7Kg (C850T) / 5kg (C650T)
- Semi-Automatica
- Ruote
- Filtro dal Residuo di Stoffa

AR غسالة ٧ كلغ (C850T) / ٥ كلغ (C650T)
- جرنين
- دواليب للنقل
- فلتر للنسيل

VERONA

Made in

CD888I INOX

Capacity KG 8

EN 8Kg Condenser Dryer
- Stainless Steel Drum
- Door Opening 180°
- Reverse Tumble
- Removable Top Drainage Container
- Made in UK

FR Sèche-linge à Condensation 8kg
- Tambour en Inox
- Ouverture de Porte à 180°
- Rotation Bidirectionnelle
- Bac Collecteur Amovible
- Fabriqué au Royaume Uni

IT Asciugatore a Condensa 8Kg
- Cesto in Acciaio Inox
- Apertura 180°
- Rotazione Bidirezionale
- Serbatoio Raccolta Acqua
- Prodotto nel Regno Unito

AR نشافة تحويل البخار الى ماء ٨ كلغ
- جرن من الستانلس ستيل
- فتحة الباب ١٨٠ درجة
- الجرن يعمل بالاتجاهين
- مخزن الماء قابل للنزع
- صنع انكلترا

white silver

Great Britain

D808I INOX

Capacity KG 8

EN 8Kg Vented Dryer
- Stainless Steel Drum
- Door Opening 180°
- Reverse Tumble
- Made in UK

FR Sèche-linge à Evacuation 8kg
- Tambour en Inox
- Ouverture de Porte à 180°
- Rotation Bidirectionnelle
- Fabriqué au Royaume Uni

IT Asciugatrice 8Kg
- Cesto in Acciaio Inox
- Apertura 180°
- Rotazione Bidirezionale
- Prodotto nel Regno Unito

AR نشافة تفريغ خارجي ٨ كلغ
- جرن من الستانلس ستيل
- فتحة الباب ١٨٠ درجة
- الجرن يعمل بالاتجاهين
- صنع انكلترا

silver white

D762L INOX

Made in italy

Capacity KG 7

EN 7Kg Vented Dryer
- Stainless Steel Drum
- Door Opening 180°
- Reverse Tumble
- Made in Italy

FR Sèche-linge à Evacuation 7kg
- Tambour en Inox
- Ouverture de Porte à 180°
- Rotation Bidirectionnelle
- Fabriqué en Italie

IT Asciugatrice 7Kg
- Cesto in Acciaio Inox
- Apertura 180°
- Rotazione Bidirezionale
- Prodotto in Italia

AR نشافة تفريغ خارجي ٧ كلغ
- جرن من الستانلس ستيل
- فتحة الباب ١٨٠ درجة
- الجرن يعمل بالاتجاهين
- صنع ايطاليا

white silver

ANTI BACTERIA

D807 INOX

Capacity KG 8

EN 8Kg Vented Dryer
- Stainless Steel Drum
- Door Opening 180°
- Reverse Tumble

FR Sèche-linge à Evacuation 8kg
- Tambour en Inox
- Ouverture de Porte à 180°
- Rotation Bidirectionnelle

IT Asciugatrice 8Kg
- Cesto in Acciaio Inox
- Apertura 180°
- Rotazione Bidirezionale

AR نشافة تفريغ خارجي ٨ كلغ
- جرن من الستانلس ستيل
- فتحة الباب ١٨٠ درجة
- الجرن يعمل بالاتجاهين

silver white



COOKERS

- PROFESSIONAL 74
- SEMI PROFESSIONAL 80
- LARGE COOKERS 86
- COOKERS WITH BOTTLE COMPARTMENT 88
- COMPACT COOKERS 90

CP965XCI

EN **90X60 Professional Cooker**
- 5 Gas burners including 2 Triple Burners
- Cast Iron Pan Supports
- Gas-Gas Oven
- Full Safety
- Timer
- Single Touch Ignition
- Balanced Glass Lid

FR **Cuisinière Professionnelle 90x60**
- 5 Feux Gaz dont 2 Triple Couronnes
- Supports en Fonte
- Four Gas-Gas
- Feux Gaz avec Sécurité
- Minuterie
- Allumage Electronique « 1 Main »
- Couvercle Vitre à Freinage Incorporé

IT **Cucina Professionale 90x60**
- Piano con 5 Fuochi Gas con 2 Tripla Corona
- Griglie in Ghisa
- Forno Gas-Gas
- Valvole di Sicurezza
- Contaminuti
- Accensione Sottomanopola
- Coperchio in Cristallo Bilanciato

AR **طباخ عريض مهني ٩٠ × ٦٠ سنتم**
- ٥ رؤوس اشتعال تتضمن رأسين مثلث الشعلة
- مصبعات من الحديد الصب
- فرن غاز–غاز
- نظام امان
- مؤقت
- اشعال الكتروني نظام تحت المفتاح
- نظام توازن الغطاء الزجاجي

black stainless steel

CP664XCI

EN **60X60 Professional Cooker**
- 4 Gas burners including 1 Triple Burner
- Cast Iron Pan Supports
- Gas-Gas Oven
- Full Safety
- Timer
- Single Touch Ignition
- Balanced Glass Lid

R **Cuisinière Professionnelle 60x60**
- 4 Feux Gaz dont 1 Triple Couronne
- Supports en Fonte
- Four Gas-Gas
- Feux Gaz avec Sécurité
- Minuterie
- Allumage Electronique « 1 Main »
- Couvercle Vitre à Freinage Incorporé

IT **Cucina Professionale 60x60**
- Piano con 4 Fuochi Gas con 1 Tripla Corona
- Griglie in Ghisa
- Forno Gas-Gas
- Valvole di Sicurezza
- Contaminuti
- Accensione Sottomanopola
- Coperchio in Cristallo Bilanciato

AR **طباخ مهني ٦٠×٦٠ سنتم**
- ٤ رؤوس اشتعال تتضمن رأساً مثلث الشعلة
- مصبعات من الحديد الصب
- فرن غاز–غاز
- نظام امان
- مؤقت
- اشعال الكتروني نظام تحت المفتاح
- نظام توازن الغطاء الزجاجي

stainless steel black

CP965XMOCI

black stainless steel

EN **90X60 Professional Cooker**

- 5 Gas burners including 2 Triple Burners
- Cast Iron Pan Supports
- Multifunction Oven
- Double Circulation Fans
- Safety Valves: Burners
- Electronic Timer
- Single Touch Ignition
- Balanced Glass Lid

FR **Cuisinière Professionnelle 90x60**

- 5 Feux Gaz dont 2 Triple Couronnes
- Supports en Fonte
- Four à Multifonction
- Chaleur Tournante à 2 Ventilateurs
- Feux Gaz avec Sécurité
- Minuterie Electronique
- Allumage Electronique « 1 Main »
- Couvercle Vitre à Freinage Incorporé

IT **Cucina Professionale 90x60**

- Piano con 5 Fuochi Gas con 2 Tripla Corona
- Griglie in Ghisa
- Forno Multifunzione
- Ventilatori 2
- Valvole di Sicurezza: Fuochi
- Programmatore Elettronico
- Accensione Sottomanopola
- Coperchio in Cristallo Bilanciato

AR طباخ عريض مهني ٩٠ × ٦٠ سنتم

- ٥ رؤوس اشتعال تتضمن رأسين مثلث الشعلة
- مصبعات من الحديد الصب
- فرن متعدد الوظائف
- مزدوج المروحة
- نظام امان لرؤوس الاشتعال
- مؤقت الكتروني
- اشعال الكتروني نظام تحت المفتاح
- نظام توازن الغطاء الزجاجي

Made in italy

CP96XGVRM

Convection Fan

EN **90X60 Professional Cooker**
- Vetroceramic Hob
- Multifunction Oven
- Rotisserie
- Oven Light
- Timer

FR **Cuisinière Professionnelle 90x60**
- Table de Cuisson Vitrocéramique
- Four à Multifonction
- Tournebroche
- Lampe
- Minuterie

IT **Cucina Professionale 90x60**
- Piano Vetroceramico
- Forno Multifunzione
- Girarrosto
- Luce Forno
- Contaminuti

AR **طباخ عريض مهني ٩٠ × ٦٠ سنتم**
- طباخ فيتروسيراميك
- فرن متعدد الوظائف
- شواية
- انارة داخل الفرن
- مؤقت

black stainless steel

CP64XVRM

Convection Fan

EN **60X60 Professional Cooker**
- Vetroceramic Hob
- Multifunction Oven
- Rotisserie
- Oven Light
- Timer

FR **Cuisinière Professionnelle 60x60**
- Table de Cuisson Vitrocéramique
- Four à Multifonction
- Tournebroche
- Lampe
- Minuterie

IT **Cucina Professionale 60x60**
- Piano Vetroceramico
- Forno Multifunzione
- Girarrosto
- Luce Forno
- Contaminuti

AR **طباخ مهني ٦٠ × ٦٠ سنتم**
- طباخ فيتروسيراميك
- فرن متعدد الوظائف
- شواية
- انارة داخل الفرن
- مؤقت

stainless steel black

Made in italy

C965XRSIFSCI

EN 90X60 Large Cooker

- 5 Gas burners including 1 Triple Burner
- Cast Iron Pan Supports
- Gas Oven + Gas Grill
- Full Safety: Burners & Oven
- Single Touch Ignition
- Slide-out Inner Door
- Balanced Glass Lid
- Timer

IT Cucina 90x60

- Piano con 5 Fuochi Gas con Tripla Corona
- Griglie in Ghisa
- Forno Gas + Grill Gas
- Valvole di Sicurezza: Fuochi e Forno
- Accensione Sottomanopola
- Vetro Interno Asportabile
- Coperchio in Cristallo Bilanciato
- Contaminuti

FR Cuisinière 90x60

- 5 Feux Gaz dont 1 Triple Couronne
- Supports en Fonte
- Four & Grill Gaz
- Feux Gaz/Four/Grill avec Sécurité
- Allumage Electronique « 1 Main »
- Vitre Interne à Glissière
- Couvercle à Freinage Incorporé
- Minuterie

AR طباخ عريض ٩٠ × ٦٠ سنتم

- ٥ رؤوس اشتعال تتضمن رأساً مثلث الشعلة
- مصبعات من الحديد الصب
- تحكم منفصل للفرن و شواية الغاز
- نظام امان لرؤوس الاشتعال و للفرن
- اشعال الكتروني نظام تحت المفتاح
- الزجاجة الداخلية قابلة للنزع
- نظام توازن الغطاء
- مؤقت

white

stainless steel

Made in italy

C965XRSIBSMOCI

EN 90X60 Large Cooker
- 5 Gas burners including 1 Triple Burner
- Cast Iron Pan Supports
- Multifunction Oven
- Full Safety
- Single Touch Ignition
- Slide-out Inner Door
- Balanced Glass Lid
- Timer

IT Cucina 90x60
- Piano con 5 Fuochi Gas con Tripla Corona
- Griglie in Ghisa
- Forno Multifunzione
- Valvole di Sicurezza
- Accensione Sottomanopola
- Vetro Interno Asportabile
- Coperchio in Cristallo Bilanciato
- Contaminuti

FR Cuisinière 90x60
- 5 Feux Gaz dont 1 Triple Couronne
- Supports en Fonte
- Four à Multifonction
- Feux avec Sécurité
- Allumage Electronique « 1 Main »
- Vitre Interne à Glissière
- Couvercle à Freinage Incorporé
- Minuterie

AR
- طباخ عريض ٩٠ × ٦٠ سنتم
- ٥ رؤوس اشتعال تتضمن رأساً مثلث الشعلة
- مصبعات من الحديد الصب
- فرن متعدد الوظائف
- نظام امان
- اشعال الكتروني نظام تحت المفتاح
- الزجاجة الداخلية قابلة للنزع
- نظام توازن الغطاء
- مؤقت

stainless steel white

C9642XRSIFSCI

white

stainless steel

Made in italy

Wok Support · Cast Iron Pan Stands · Automatic Ignition · Full Safety

EN **90X60 Large Cooker**
- 4 Gas burners & 2 Electric Plates
- Cast Iron Pan Supports
- Gas Oven + Gas Grill
- Full Safety: Burners & Oven
- Single Touch Ignition
- Slide-out Inner Door
- Balanced Glass Lid
- Timer

FR **Cuisinière 90x60**
- 4 Feux Gaz & 2 Foyers Electriques
- Supports en Fonte
- Four & Grill Gaz
- Feux Gaz/Four/Grill avec Sécurité
- Allumage Electronique « 1 Main »
- Vitre Interne à Glissière
- Couvercle à Freinage Incorporé
- Minuterie

IT **Cucina 90x60**
- Piano con 4 Fuochi Gas & 2 Piastre
- Griglie in Ghisa
- Forno Gas + Grill Gas
- Valvole di Sicurezza: Fuochi e Forno
- Accensione Sottomanopola
- Vetro Interno Asportabile
- Coperchio in Cristallo Bilanciato
- Contaminuti

AR طباخ عريض ٩٠ × ٦٠ سنتم
- ٤ رؤوس اشتعال و رأسين كهربائيين
- مصبعات من الحديد الصب
- تحكم منفصل للفرن و شواية الغاز
- نظام امان لرؤوس الاشتعال و للفرن
- اشعال الكتروني نظام تحت المفتاح
- الزجاجة الداخلية قابلة للنزع
- نظام توازن الغطاء
- مؤقت

SARDINIA

C965XRS

white

stainless steel

EN **90X60 Large Cooker**
- 5 Gas burners including 1 Triple Burner
- Enameled Pan Supports
- Gas Oven + Gas Grill
- Full Safety: Burners & Oven
- Single Touch Ignition
- Rotisserie
- Balanced Glass Lid
- Timer

FR **Cuisinière 90x60**
- 5 Feux Gaz dont 1 Triple Couronne
- Grilles en Acier Emaillé
- Four & Grill Gaz
- Feux Gaz/Four/Grill avec Sécurité
- Allumage Electronique « 1 Main »
- Tournebroche
- Couvercle à Freinage Incorporé
- Minuterie

IT **Cucina 90x60**
- Piano con 5 Fuochi Gas con Tripla Corona
- Griglie in Piattina Smaltata
- Forno Gas + Grill Gas
- Valvole di Sicurezza: Fuochi e Forno
- Accensione Sottomanopola
- Girarrosto
- Coperchio in Cristallo Bilanciato
- Contaminuti

AR طباخ عريض ٩٠ × ٦٠ سنتم
- ٥ رؤوس اشتعال تتضمن رأساً مثلث الشعلة
- مصبعات مطلية
- تحكم منفصل للفرن و شواية الغاز
- نظام امان لرؤوس الاشتعال و للفرن
- اشعال الكتروني نظام تحت المفتاح
- شواية
- نظام توازن الغطاء
- مؤقت

C95C

black cream white stainless steel

Made in italy



EN
- 90X60cm Cooker
- Bottle Compartment
- 5 Gas burners including 1 Triple Burner
- Cast Iron Pan Supports
- Gas Oven + Gas Grill
- Single Touch Ignition
- Balanced Glass Lid
- Timer

FR
- Cuisinière 90x60cm
- Compartiment Bouteille
- 5 Feux Gaz dont 1 Triple Couronne
- Supports en Fonte
- Four & Grill Gaz
- Allumage Electronique « 1 Main »
- Couvercle à Freinage Incorporé
- Minuterie

IT
- Cucina 90x60cm
- Porta Bombola
- Piano con 5 Fuochi Gas con Tripla Corona
- Griglie in Ghisa
- Forno Gas + Grill Gas
- Accensione Sottomanopola
- Coperchio in Cristallo Bilanciato
- Contaminuti

AR
- طباخ ٩٠ × ٦٠ سنتم
- حجرة لقارورة الغاز
- ٥ رؤوس اشتعال تتضمن رأساً مثلث الشعلة
- مصبعات من الحديد الصب
- تحكم منفصل للفرن و شواية الغاز
- اشعال الكتروني نظام تحت المفتاح
- نظام توازن الغطاء
- مؤقت

C64VSGRI

white stainless steel

EN **60X60 Cooker**
- Vetroceramic Hob
- Multifunction Oven
- Double Glass Door
- Rotisserie
- Warmer Drawer
- Oven Light
- Timer

FR **Cuisinière 60x60**
- Table de Cuisson Vitrocéramique
- Four à Multifonction
- Porte à Double Vitres
- Tournebroche
- Tiroir de Réchauffage
- Lampe
- Minuterie

IT **Cucina 60x60**
- Piano Vetroceramico
- Forno Multifunzione
- Porta Forno con Doppio Vetro
- Girarrosto
- Vano Sottoforno
- Luce Forno
- Contaminuti

AR **طباخ مهني ٦٠ × ٦٠ سنتم**
- طباخ فيتروسيراميك
- فرن متعدد الوظائف
- زجاجة الفرن مزدوجة
- شوّاية
- جارور سفلي
- انارة داخل الفرن
- مؤقت

C64SGRI/C64SGTI

Automatic Ignition

EN 60X60 Cooker
- 4 Gas Burners
- Gas Oven + Gas Grill
- Safety Valve: Oven (C64SGRI)
- Single Touch Ignition
- Rotisserie (C64SGRI)
- Balanced Glass Lid ADS
- Oven Light

FR Cuisinière 60x60
- 4 Feux Gaz
- Four + Grill Gaz
- Four avec Sécurité: (C64SGRI)
- Allumage Electronique « 1 Main »
- Tournebroche (C64SGRI)
- Couvercle à Freinage Incorporé
- Lampe

IT Cucina 60x60
- Piano con 4 Fuochi Gas
- Forno Gas + Grill Gas
- Valvole di Sicurezza: Forno (C64SGRI)
- Accensione Sottomanopola
- Girarrosto (C64SGRI)
- Coperchio in Cristallo Bilanciato
- Luce Forno

AR طباخ ٦٠ × ٦٠ سنتم
- طباخ ٤ رؤوس غاز
- فرن غاز + شواية غاز
- نظام امان للفرن (C64SGRI)
- اشعال الكتروني نظام تحت المفتاح
- شوّاية (C64SGRI)
- نظام توازن الغطاء
- انارة داخل الفرن

white stainless steel

C64ESR

EN
60X60 Cooker
- 4 Electric Plates
- Static Oven
- Double Glass Door
- Rotisserie
- Warmer Drawer
- Oven Light

FR
Cuisinière 60x60
- 4 Foyers Electriques
- Four à Convection Naturelle
- Porte à Double Vitres
- Tournebroche
- Tiroir de Réchauffage
- Lampe

IT
Cucina 60x60
- Piano con 4 Piastre Elettriche
- Forno Gas + Grill Gas
- Porta Forno con Doppio Vetro
- Girarrosto
- Vano Sottoforno
- Luce Forno

AR
طباخ ٦٠ × ٦٠ سنتم
- طباخ ٤ رؤوس كهرباء
- فرن كهربائي
- زجاجة الفرن مزدوجة
- شوّاية
- جارور سفلي
- انارة داخل الفرن

stainless steel white

AIR CONDITIONING

- SPLIT AC 96
- FLOOR STANDING 100
- FLOOR / CEILING 104
- 4 WAY CASSETTE 106
- COMPACT 4WAY CASSETTE 107
- HIGH STATIC DUCT 108
- A S DUCT 110
- PORTABLE AC 112

CAMPOMATIC

AC TI 50Hz

	Cooling	Heating	Indoor Air Flow	Compressor
AC38MS	38000	38000	1310/1200/1030	COPELAND
AC25MS	25000	25000	1020/960/880	TOSHIBA
AC19MS	19000	19000	780/700/600	TOSHIBA
AC12MS	12000	12000	550/440/380	TOSHIBA
AC10MS	10000	10000	450/380/320	

SPECS

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

Auto Restart Function

Two-direction Air Swing

LED Display

EN
- Cool & Heat Functions
- LED Display
- Dehumidification Function
- LTC Filter
- Electrostatic Filter
- Dust Filter
- 24Hour Timer
- Infrared Remote Control

FR
- Chaud & Froid
- Affichage LED
- Fonction Déshumidificateur
- Filtre LTC
- Filtre Electrostatique
- Filtre à Poussière
- Minuterie 24H
- Commande à Infrarouge

IT
- Raffreddamento e Riscaldamento
- Display Digitale LED
- Funzione Dehumidificazione
- Filtro LTC
- Filtro in Fibra Elettrostatica
- Filtro Antipolvere
- Timer 24 Ore
- Telecomando a Raggi Infrarossi

AR
- سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- فلتر للروائح و التعقيم
- فلتر الكتروستاتيك
- فلتر للغبار LTC
- مؤقت ٢٤ ساعة
- جهاز تحكم عن بعد

AC T3 60Hz

	Cooling	Heating	Indoor Air Flow	Compressor
AC32MST	30000	32000	1300/1200/1050	KK
AC25MST	24000	25000	930/780/730	TOSHIBA
AC18MST	17000	18000	880/750/550	TOSHIBA
AC13MST	12000	13000	610/540/420	TOSHIBA

SPECS

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

Auto Restart Function

Two-direction Air Swing

LED Display

EN
- Cool & Heat Functions
- LED Display
- Dehumidification Function
- LTC Filter
- Electrostatic Filter
- Dust Filter
- 24Hour Timer
- Infrared Remote Control

FR
- Chaud & Froid
- Affichage LED
- Fonction Déshumidificateur
- Filtre LTC
- Filtre Electrostatique
- Filtre à Poussière
- Minuterie 24H
- Commande à Infrarouge

IT
- Raffreddamento e Riscaldamento
- Display Digitale LED
- Funzione Dehumidificazione
- Filtro LTC
- Filtro in Fibra Elettrostatica
- Filtro Antipolvere
- Timer 24 Ore
- Telecomando a Raggi Infrarossi

AR
- سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- فلتر للروائح و التعقيم
- فلتر الكتروستاتيك
- فلتر للغبار LTC
- مؤقت ٢٤ ساعة
- جهاز تحكم عن بعد

AC T1 50Hz
AC T3 60Hz

Easy-cleaned Panel

Quiet Design

Valve Protection Cover

	Cooling	Heating	Indoor Air Flow	Compressor
AC60FS	60000	66500	2200/1940/1690	COPELAND T1
AC50FS	60000	48000	1800/1500	HITACHI T1
AC55FST	55000	67000	1960/1730/1960	SANYO T3
AC48FST	42000	48000	1840/1500	SANYO T3

SPECS

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

Self-diagnosis
and Auto-protection
Function

Anti-Rust
Cabinet

Independent
Dehumidification

EN **Cool & Heat Functions**
- LED Display
- Dehumidification Function
- LTC Filter
- Electrostatic Filter
- Dust Filter
- 24Hour Timer
- Infrared Remote Control

FR **Chaud & Froid**
- Affichage LED
- Fonction Déshumidificateur
- Filtre LTC
- Filtre Electrostatique
- Filtre à Poussière
- Minuterie 24H
- Commande à Infrarouge

IT **Raffreddamento e Riscaldamento**
- Display Digitale LED
- Funzione Dehumidificazione
- Filtro LTC
- Filtro in Fibra Elettrostatica
- Filtro Antipolvere
- Timer 24 Ore
- Telecomando a Raggi Infrarossi

AR سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- فلتر للروائح و التعقيم
- فلتر الكتروستاتيك
- فلتر للغبار LTC
- مؤقت ٢٤ ساعة
- جهاز تحكم عن بعد

PORTOFINO

ACF T1 50Hz
ACF T3 60Hz

Auto Defrosting

Quiet Design

Timer

T1	Cooling	Heating	Indoor Air Flow	Phase
ACF65P3	60000	65000	2000/1800/1600	3
ACF52P3	48000	52000	2000/1800/1600	3
ACF40P3	36000	40000	1600/1200/1000	3
ACF40P1	36000	40000	1600/1200/1000	1
ACF26P1	24000	26000	1150/1020/870	1
ACF20P1	18000	20000	1150/1020/870	1
ACF13P1	12000	13000	600/480/400	1

SPECS

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

T3	Cooling	Heating	Indoor Air Flow	Ph
ACF55P1T	44697	53159	2450/2220/1968	1
ACF48P1T	42309	46335	2450/2220/1968	1
ACF36P1T	31288	35826	1298/1062/915	1
ACF24P1T	21837	25249	1089/819/512	1
ACF18P1T	17060	18766	1089/819/512	1

SPECS

Auto Restart Function

Sleep Mode

Anti-Cold Air Function

Independent Dehumidification

EN **Cool & Heat Functions**
- LED Display
- Dehumidification Function
- LTC Filter
- Electrostatic Filter
- Dust Filter
- 24Hour Timer
- Infrared Remote Control

FR **Chaud & Froid**
- Affichage LED
- Fonction Déshumidificateur
- Filtre LTC
- Filtre Electrostatique
- Filtre à Poussière
- Minuterie 24H
- Commande à Infrarouge

IT **Raffreddamento e Riscaldamento**
- Display Digitale LED
- Funzione Dehumidificazione
- Filtro LTC
- Filtro in Fibra Elettrostatica
- Filtro Antipolvere
- Timer 24 Ore
- Telecomando a Raggi Infrarossi

AR سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- فلتر للروائح و التعقيم
- فلتر الكتروستاتيك
- فلتر للغبار LTC
- مؤقت ٢٤ ساعة
- جهاز تحكم عن بعد

ACT T1 50Hz
ACT T3 60Hz



Air Flow Panel

Sleep Mode

Auto Defrosting

Wired +Wireless Controller

T1	Cooling	Heating	Indoor Air Flow	Ph
ACT65P3	60000	65000	1830/1480/1120	3
ACT52P3	48000	52000	1650/1412/1264	3
ACT40P3	36000	40000	1648/1501/1326	3
ACT40P1	36000	40000	1648/1501/1326	1
ACT26P1	24000	26000	1220/1010/820	1
ACT20P1	18000	20000	940/790/655	1

SPECS

T3	Cooling	Heating	Indoor Air Flow	Ph
ACT55P1T	47313	49378	2105/1480/1264	1
ACT48P1T	44246	47039	2105/1480/1264	1
ACT36P1T	35154	34489	1910/1471/1220	1
ACT24P1T	23380	26260	1430/1145/858	1
ACT18P1T	18523	18937	1415/1132/850	1

SPECS

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

EN **Cool & Heat Functions**
- LED Display
- Dehumidification Function
- 24Hour Timer
- Remote Control

FR **Chaud & Froid**
- Affichage LED
- Fonction Déshumidificateur
- Minuterie 24H
- Commande

IT **Raffreddamento e Riscaldamento**
- Display Digitale LED
- Funzione Dehumidificazione
- Timer 24 Ore
- Telecomando

AR سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- مؤقت ٢٤ ساعة
- جهاز تحكم

ACC T1 50Hz

Built-in Drain Pump

Anti-Cold Air Function

Auto Restart Function

Independent Dehumidification

	Cooling	Heating	Indoor Air Flow	Ph
ACC20PI	18000	20000	810/720/580	1
ACC13PI	12000	13000	596/477	1

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

EN **Cool & Heat Functions**
- LED Display
- Dehumidification Function
- 24Hour Timer
- Remote Control

FR **Chaud & Froid**
- Affichage LED
- Fonction Déshumidificateur
- Minuterie 24H
- Commande

IT **Raffreddamento e Riscaldamento**
- Display Digitale LED
- Funzione Dehumidificazione
- Timer 24 Ore
- Telecomando

AR سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- مؤقت ٢٤ ساعة
- جهاز تحكم

ACT TI 50Hz
ACT T3 60Hz

Auto Restart Function

Timer

Auto Defrosting



HIGH STATIC PRESSURE > 120PA
14 Meters Long Distance Air Supply

FLEXIBLE AIR INTAKE



TI	Cooling	Heating	Indoor Air Flow	Ph
AHD65P3	60000	65000	4000/3750/3100	3
AHD52P3	48000	52000	3900/3700/3000	3
AHD40P3	36000	40000	2400/2200/2000	3
AHD40P1	36000	40000	2400/2200/2000	1
AHD26P1	24000	26000	1800/1670/1450	1

SPECS

T3	Cooling	Heating	Indoor Air Flow	Ph
AHD55P1T	14889	15050	3850/3645/3026	1
AHD48P1T	12400	13220	3850/3645/3026	1
AHD36P1T	10150	10900	2200/2088/1715	1
AHD24P1T	6900	7180	1344/1294/1187	1

SPECS

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

Anti-Cold Air Function

Independent Dehumidification

Wired +Wireless Controller

Sleep Mode

EN
- Cool & Heat Functions
- LED Display
- Dehumidification Function
- Dust Filter
- 24Hour Timer
- Remote Control

FR
- Chaud & Froid
- Affichage LED
- Fonction Déshumidificateur
- Filtre à Poussière
- Minuterie 24H
- Commande

IT
- Raffreddamento e Riscaldamento
- Display Digitale LED
- Funzione Dehumidificazione
- Filtro Antipolvere
- Timer 24 Ore
- Telecomando

AR
- سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- فلتر للغبار
- مؤقت ٢٤ ساعة
- جهاز تحكم

ALD TI 50Hz
ALD T3 60Hz

Auto Restart Function

Timer

Auto Defrosting

FLEXIBLE AIR INTAKE



TI	Cooling	Heating	Indoor Air Flow	Phase
ALD65P3	60000	65000	3150/2510/1990	3
ALD52P3	48000	52000	3010/2410/1940	3
ALD40P3	36000	40000	2270/1890/1650	3
ALD40P1	36000	40000	2270/1890/1650	1
ALD26P1	24000	26000	1400/1100/1000	1
ALD20P1	18000	20000	1170/770/650	1
ALD13P1	12000	13000	800/610/520	1

SPECS

T3	Cooling	Heating	Indoor Air Flow	Ph
ALD55P1T	46642	52101	3150/2510/1990	1
ALD48P1T	42991	46506	3010/2410/1940	1
ALD36P1T	32994	36508	2270/1890/1650	1
ALD24P1T	23372	24362	1400/1100/1000	1
ALD18P1T	16378	17012	1170/770/650	1

SPECS

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

Anti-Cold Air Function

Independent Dehumidification

Wired +Wireless Controller

Sleep Mode

EN **Cool & Heat Functions**
- LED Display
- Dehumidification Function
- Dust Filter
- 24Hour Timer
- Remote Control

FR **Chaud & Froid**
- Affichage LED
- Fonction Déshumidificateur
- Filtre à Poussière
- Minuterie 24H
- Commande

IT **Raffreddamento e Riscaldamento**
- Display Digitale LED
- Funzione Dehumidificazione
- Filtro Antipolvere
- Timer 24 Ore
- Telecomando

AR سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- فلتر للغبار
- مؤقت ٢٤ ساعة
- جهاز تحكم

AC12P
AC09P

Auto Restart Function

Flexible Installation Kit

Auto Restart Function

No Bucket Design

Washable Filter

TEMPERATURE SENSOR
Supplies Comfortable Temperature Following your Move

SLIDING DOOR
keeps the Dust Away

TI	Cooling	Heating	Indoor Air Flow	Energy Class
AC12P	12000	5100	460	A
AC09P	9000	5100	450	A

Full Technical Specs can be obtained from the dedicated AC Catalogue or downloaded from www.campomatic.com

Auto Swing

Turbo Mode

Follow Me

Sleep Mode

Timer

Self-diagnosis & Auto-protection Function



EN **Cool & Heat Functions**
- LED Display
- Dehumidification Function
- Dust Filter
- 24Hour Timer
- Remote Control

FR **Chaud & Froid**
- Affichage LED
- Fonction Déshumidificateur
- Filtre à Poussière
- Minuterie 24H
- Commande

IT **Raffreddamento e Riscaldamento**
- Display Digitale LED
- Funzione Dehumidificazione
- Filtro Antipolvere
- Timer 24 Ore
- Telecomando

AR سخن و بارد
- شاشة عرض LED
- وظيفة سحب الرطوبة
- فلتر للغبار
- مؤقت ٢٤ ساعة
- جهاز تحكم

SPECIFICATIONS: QUATTRO & TRIO

Model		FRF253SS	FRF254DSS	FRF254SS
Type		Bottom Mount No-frost 3 Door Refrigerator/Freezer	Bottom Mount No-frost 4 Door Refrigerator/Freezer	Bottom Mount No-frost 4 Door Refrigerator/Freezer
Net Capacity	Total/ (L/Cu.Ft.)	557	557	540
	Freezer/ (L/Cu.Ft.)	397	397	384
	Refrigerator/ (L/Cu.Ft.)	160	160	156
Performance				
Climatic type	(SN, N, ST, T)	N, ST, T	N, ST, T	N, ST, T
Features				
General Features	Temp. Control(Electronic/Mechanical)	Electronic LCD	Electronic LCD	Electronic LCD
	Defrosting(Automatic/Manual)	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost
	Reversible Door	Yes	Yes	Yes
	Handle(Recessed/Grip)	Large Delux	Large Delux	Large Delux
	Refrigerant	R134a	R134a	R134a
	Home Bar	N.A	N.A	N.A
	Foam Blowing Agent	Cyclopentane	Cyclopentane	Cyclopentane
	Multi Air Flow	Yes	Yes	Yes
	Laminated table top	N.A	N.A	N.A
Refrigerator Compartment	Shelf (Material/No.)	Tempered Glass / 4	Tempered Glass / 4	Tempered Glass / 4
	Door Basket	6	6	8
	Interior Lamp	Yes LED	Yes LED	Yes LED
	Folding Bottle Rack	Bottle Shelf	Bottle Shelf	Bottle Shelf
	Vegetable Crisper	2	2	2
	Vegetable Crisper Cover	1	1	1
	Egg Tray	Yes	Yes	Yes
	Can storage Dispenser	No	No	No
	Chilled Room	Yes	Yes	Yes
	Deodorizer	Yes	Yes	Yes
Freezer Compartment	Star Rating	4	4	4
	Ice Maker (Automatic/Twist/Normal)	Twist Ice Maker	Automatic Ice Maker	Automatic Ice Maker
	Shelf (Material/No.)	N.A	N.A	N.A
	Drawer	2 XL	2 XL	3 XL
	Door Basket	N.A	N.A	N.A
Dimensions				
Net	Width/mm	910	910	911
	Depth /mm	710	710	710
	Height/mm	1770	1770	1775

SPECIFICATIONS: DUO

Model		FR450NS	FRZ307N	FR500IT	FRZ500IT	FC500IT	FC420SS	FC300S
Type		Single door larder	Single Door No-Frost Freezer	Single door larder	Single Door No-Frost Freezer	Bottom Mount No-frost refrigerator/freezer	Bottom Mount No-frost refrigerator/freezer	Bottom Mount No-frost refrigerator/freezer
Net Capacity	Total/ (L/Cu.Ft.)	350	230	350	234	292	325	238
	Freezer/ (L/Cu.Ft.)	/	230	/	234	75	93	95
	Refrigerator/ (L/Cu.Ft.)	350	/	350	/	217	232	143
Performance								
Climatic type	(SN, N, ST, T)	N, ST, T	N, ST, T	N, ST, T	N, ST, T	N, ST, T	N, ST, T	N, ST, T
Features								
General Features	Temp. Control(Electronic/Mechanical)	Electronic LED	Electronic LED	Electronic LED	Electronic LED	Electronic LED	Electronic LED	Mechanical
	Defrosting(Automatic/Manual)	Manual	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost
	Reversible Door	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Handle(Recessed/Grip)	Upright Delux (Grip)	Upright Delux	Horizontal Delux	Horizontal Delux	Horizontal Delux	grip	Upright Delux
	Refrigerant	R134a/	R134a/R600a	R600a	R600a	R600a	R134a	R134a
	Home Bar	N.A	N.A	N.A	N.A	N.A	N.A	N.A
	Foam Blowing Agent	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane
	Multi Air Flow	Yes	N.A	Yes	N.A	Yes	Yes	Yes
	Laminated table top	N.A	N.A	N.A	N.A	N.A	N.A	N.A
Refrigerator Compartment	Shelf	Tempered Glass/5	N.A	Tempered Glass/5	N.A	Tempered Glass / 3	Tempered Glass / 4	Tempered Glass / 2
	Door Basket	5	N.A	5	N.A	N.A	6	4
	Interior Lamp	Yes	N.A	Yes	N.A	Yes LED	Yes	Yes
	Folding Bottle		N.A	Bottle Shelf	N.A	Bottle Shelf	Bottle Shelf	Yes
	Vegetable Crisper	Yes	N.A	3	N.A	Yes	2	Yes
	Vegetable Crisper Cover	Yes	N.A	Yes	N.A	Yes	2	Yes
	Egg Tray	Yes	N.A	Yes	N.A	Yes	Yes	Yes
	Can storage	No	N.A	No	N.A	No	No	No
	Chilled Room	N.A	N.A	No	N.A	1	N.A	No
	Deodorizer	Yes	N.A	Yes	N.A	yes	Yes	No
Freezer Compartment	Star Rating	N.A	4	N.A	4	4	4	4
	Ice Maker (Automatic/Twist/Normal)	N.A	Normal	N.A	Normal	Normal	Normal	No
	Shelf (Material/No.)	N.A	No	N.A	No	No	No	No
	Drawer	N.A	8	N.A	7	4	4 (3big+1small)	3
	Door Basket	N.A	No	N.A	No	No	No	No
Dimensions								
Net	Width/mm	594	594	592	592	592	595	556
	Depth /mm	634	634	601	601	601	664	670
	Height/mm	1753	1753	1853	1853	1853	1960	1729

SPECIFICATIONS: TOP MOUNT

Model		FR820	FR800	FR720	FR700	FR660	FR600	FR500	FR440	FR330	FR250
Type		Double Door No-Frost refrigerator	Double Door No-Frost refrigerator	Double Door No-Frost refrigerator	Double Door No-Frost Refrigerator	Double Door No-Frost Refrigerator	Double Door No-Frost Refrigerator	Double Door No-Frost Refrigerator	Double Door No-Frost refrigerator	Double door no-frost refrigerator	Double door no-frost refrigerator
Net Capacity	Total/ (L/Cu.Ft.)	625	515	526	469	492	423	376	352	238	146
	Freezer/ (L/Cu.Ft.)	163	119	146	107	123	99	95	97	68	42
	Refrigerator/ (L/Cu.Ft.)	417	396	380	362	369	324	281	255	170	102
Performance											
Climatic type	(SN, N, ST, T)	N-ST, T	T	N-ST, T	N/T	N-ST, T	N/T	N-ST, T	T	T	T
Features											
General Features	Temp. Control(Electronic/Mechanical)	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
	Defrosting(Automatic/Manual)	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost	Automatic No-Frost
	Reversible Door	No	Yes	No	Yes	No	Yes	Yes	No	No	No
	Handle(Recessed/Grip)	Upright Delux	Upright Delux	Upright Delux	Upright Delux	Upright Delux	Upright Delux	Upright Delux	Upright Delux	Grip	Recessed
	Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a
	Home Bar	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	No	N.A
	Foam Blowing Agent	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane
	Multi Air Flow	Yes	Yes 3D	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Laminated table top	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	No	Yes
Refrigerator Compartment	Shelf (Material/No.)	Crystal Glass/3	Crystal Glass/3	Crystal Glass/3	Crystal Glass/3	Crystal Glass/2	Crystal Glass/3	Crystal Glass/3	Crystal Glass/3	PS/Wire/Glass	PS/Wire
	Door Basket	Rack/7	Rack/7	Rack/7	Rack/7	Rack/7	Rack/7	Rack/3	Rack/7	Yes	Yes
	Interior Lamp	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Folding Bottle Rack	N.A	N.A	No	N.A	No	N.A	N.A	No	No	No
	Vegetable Crisper	1	2	1	2	1	2	1	1	1	1
	Vegetable Crisper Cover	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Egg Tray	Yes	Yes 1 large	Yes	Yes 2	Yes	Yes 2	Yes	Yes	Yes	Yes
	Can storage Dispenser	No	N.A	No	N.A	No	N.A	N.A	No	No	No
	Chilled Room	1	1	1	2	1	2	No	1	Yes	No
	Deodorizer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Freezer Compartment	Star Rating	4	4	4	4	4	4	4	3	2	2
	Ice Maker (Automatic/Twist/Normal)	Twist	Twist	Twist	Twist	Twist	Twist	Twist	Twist	Twist	Normal
	Shelf (Material/No.)	Glass/1	2/Glass	Glass/1	2/Glass	Glass/1	2/Glass	Glass/1	Crystal/1	PS/Wire	PS/Wire
	Drawer	N.A	Quick Freeze Room	N.A	Quick Freeze Room	N.A	Quick Freeze Room	No	N.A	No	No
	Door Basket	Rack/3	2	Rack/3	2	Rack/3	2	2	Rack/2	Yes	Yes
Dimensions											
Net	Width/mm	805	810	755	760	755	700	700	675	545	545
	Depth /mm	746	760	748	680	748	680	680	666	668	536
	Height/mm	1835	1818	1860	1818	1750	1818	1818	1680	1600	1263

SPECIFICATIONS: DEFROST

Model		FR480	FR270	FR153	FR143
Type		Double Door De-Frost refrigerator	Double Door De-Frost refrigerator	Single door De-Frost Refrigerator + Freezer	Single door De-Frost Refrigerator + Freezer
Net Capacity	Total/ (L/Cu.Ft.)	295	215	118	99
	Freezer/ (L/Cu.Ft.)	71	45	12	10
	Refrigerator/ (L/Cu.Ft.)	224	170	106	89
Performance					
Climatic type	(SN, N, ST, T)	N-ST, T	N-ST, T	N-ST	N-ST
Features					
General Features	Temp. Control(Electronic/Mechanical)	Mechanical	Mechanical	Mechanical	Mechanical
	Defrosting(Automatic/Manual)	De-Frost	De-Frost	Defrost / Button	Defrost / Button
	Reversible Door	Yes	Yes	Yes	Yes
	Handle(Recessed/Grip)	Recessed Horizontal Wide	Recessed Horizontal Wide	Recessed Horizontal Wide	Recessed Horizontal Wide
	Refrigerant	R134a	R134a	R134a/R600a	R134A/R600A
	Home Bar	N.A	N.A	N.A	N.A
	Foam Blowing Agent	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane
	Multi Air Flow	N.A	N.A	No	No
	Laminated table top	N.A	N.A	Yes	yes
Refrigerator Compartment	Shelf (Material/No.)	Crystal Glass /3	Crystal Glass /3	Wire/2	wire/1
	Door Basket	Rack/5	Rack/3	Rack/3	rack/3
	Interior Lamp	Yes	Yes	Yes	Yes
	Folding Bottle Rack	N.A	N.A	No	No
	Vegetable Crisper	1	1	1	1
	Vegetable Crisper Cover	Yes	Yes	Yes	Yes / Glass
	Egg Tray	Yes 1 large	Yes	Yes	Yes
	Can storage Dispenser	N.A	N.A	Yes	No
	Chilled Room	N.A	N.A	N.A	N.A
	Deodorizer	No	No	No	No
Freezer Compartment	Star Rating	4	4	N.A	N.A
	Ice Maker (Automatic/Twist/Normal)	Normal	Normal	Normal	Normal
	Shelf (Material/No.)	Wire/1	Wire/1	N.A	N.A
	Drawer	N.A	N.A	N.A	N.A
	Door Basket	N.A	N.A	N.A	N.A
Dimensions					
Net	Width/mm	599	551	526	486
	Depth /mm	575	570	535	549
	Height/mm	1750	1430	840	857

SPECIFICATIONS: FRONT LOADING

Model	WD999XE	WM950XE	WM850XE	WM808X	WD999XE	WM747	WM662	WM704E	WM608
Type	Automatic Front Load Washer-Dryer	Electronic Automatic Front Load Washer	Electronic Automatic Front Load Washer	Electronic Automatic Front Load Washer	Automatic Front Load Washer-Dryer	Automatic Front Load Washer	Automatic Front Load Washer	Automatic Front Load Washer	Electronic Automatic Front Load Washer
V / Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V 50Hz	220-240V / 50Hz
Power Input	2100W	2200W	2100W	2200W	2100W	2100W	2100W	2000W	2100W
N° PROGRAMS	19	15	19	8	19	15	15	16	8
R.P.M.	1400	1000	1200	1000	1400	700	600	600	800
Laminated Table Top	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Maximum Load Capacity	9 Kg	10 Kg	9 Kg	8 Kg	9 Kg	7 Kg	6 Kg	6 Kg	6 kg
Drum Capacity	64Liters	58L	64L	53.6L	64Liters	42Liters	42Liters	45Liters	38L
Water Consumption	75Liters	69L	75L	59L	75Liters	75Liters	75Liters	49Liters	35.5L
Engergy Consumption kWh	1.52		1.52		1.52	1.22	1.22	0.85	
Water filter	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Door opening	180°	180º	180º	180º	180°	110º	110º	180º	180º
Drum Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Tub Material	polypropylene	polypropylene	polypropylene	polypropylene	polypropylene	Stainless Steel	Stainless Steel	polypropylene	polypropylene
Controls	Electronic + Job Dial	Electronic + Job Dial	Electronic + Job Dial	Electronic + Job Dial	Electronic + Job Dial	Mechanical	Mechanical	Electronic	Electronic + Job Dial
LED Screen	No	Yes / Wide LED	LED	No	No	No	No	LED	No
Program Selector	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Time Delay	Yes	Yes	Yes	No	Yes	No	No	No	No
Child Lock	Yes	Yes	Yes	No	Yes	No	No	Yes	No
Temperature Selector (thermostat)	No (Within Program)	Yes	No (Within Program)	Yes	No (Within Program)	Yes	Yes	No (Within Program)	Yes
RPM Selector	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Drying Time Selector	Yes	N.A.	N.A.	N.A.	Yes	N.A	N.A	N.A.	N.A.
Number of Control Buttons	7 + Jog Dial	9+ Jog Dial	7 + Jog Dial	4 + Jog Dial	7 + Jog Dial	5	5	5	4 + Jog Dial
Button Type	Touch	Touch	Touch	Press	Touch	Push	Push	Touch	Press
ON/OFF Button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Energy Saving button	N.A.	No	N.A.	No	N.A.	Yes	Yes	Yes	No
Spin free button	Yes	No	Yes	No	Yes	Yes	Yes	No	No
1/2 load button	Automatic Sensing	No	Yes	NO	Automatic Sensing	No	No	No	No
Super rinse button	Yes	No	Yes	No	Yes	Yes	Yes	Yes	No
RPM Selector Button	500/800/1000/1400	600/800/1000	500/700/1000	500/700/1000	500/800/1000/1400	No	No	Yes	No spin-400-600-800
Wrinkle-free button	No	No	Yes	No	No	No	No	Yes	No
Overflow Safety	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Auto Restart	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Special Features		No		No					No
Drum Entrace Diamater (cm)	32.5	476	32.5	476	32.5	28	28		472
Drum Diameter (mm)		376		361					291
Drum Length (mm)									
ENERGY EFF. CLASS	A	A	A	A	A	C	C	A	A
WASHING EFF. CLASS	A	A	A	A	A	C	C	A	A
SPINNING EFF. CLASS	B	C		C	B	E	E	E	D
Grossweight (packed) kg.	75	72	74.5	70	75	79.5	79.5	62	54
Net weight (unpacked) kg.	73	62	73	66	73	78	78	59	50
Height-Width-Depth (packed)-cm	90 x 66 x 62.5	680 x 660 x 875 mm	90 x 66 x 62.5	680 x 660 x 875 mm	90 x 66 x 62.5	90 x 66 x 57	90 x 66 x 57	890 x 665 x 535	655 x 570 x 885 mm
Height-Width-Depth (unpacked)-cm	85 x 59.5 x 59	595 x 565x 850 mm	85 x 59.5 x 59	595 x 565 x 855mm	85 x 59.5 x 59	85 x 60 x 55	85 x 60 x 55	850 x 600 x 450	595 x 470 x 850 mm
Loading 20/40/40HC	54/114/171	48/108/159	54/114/171	48/108/159	54/114/171	88/176/214	88/176/214	80/166/242	64/144/216
Origin	Italy	China	Italy	China	Italy	Italy	Italy	China	China

SPECIFICATIONS: TOP LOADING

Model	TL15E	TL12E	TL10E	TL10T	TL07T
Type	Top Loading Full Automatic Washer	Top Loading Full Automatic Washer	Top Loading Full Automatic Washer	Top Loading Full Automatic Washer	Top Loading Full Automatic Washer
V / Hz	220V/50HZ	220-240V / 50Hz	220-240V / 50Hz	220V / 60Hz	220V / 60Hz
Drum Capacity	95L	76Liters	65Liters	95L	60L
Power Input	600W	400W	400W	600W	450W
Cabinet	Metal	Metal	Metal	Metal	Metal
Transparent Window	Yes	Yes	Yes	Yes	Yes
LED Display	Yes	Yes	Yes	Yes	Yes
Maximum Load Capacity	12	10	7	10	7
English/Arabic Control Panel	Yes	Yes	Yes	Yes	Yes
Pump	Yes	Yes	Yes	Optional	Optional
Water Inlet Hose / Quantity	Yes / 2	Yes / 2	Yes / 2	Yes / 2	Yes / 2
Drain Hose	Yes	Yes	Yes	Yes	Yes
Pulsator	Yes	Yes	Yes	Yes	Yes
Functions	Soak, Wash, Rinse, Spin	Soak, Wash, Rinse, Spin	Soak, Wash, Rinse, Spin	Soak, Wash, Rinse, Spin	Soak, Wash, Rinse, Spin
Fuzzy Smart Control	Yes	Yes	Yes	Yes	Yes
Programs	Normal/Jeans/Silk/Quick/Anti Wrinkle/Air dry	Fuzzy/Bulky, Rapid/Wool, Delicate/Anti Wrinkle	Normal/Jeans/Silk/Quick/Anti Wrinkle/Air dry	Normal/Jeans/Silk/Quick/Anti Wrinkle/Air dry	Normal/Jeans/Silk/Quick/Anti Wrinkle/Air dry
Water Levels	6	10	6	6	6
Remaining Time Display	Yes	Yes	Yes	Yes	Yes
Hold/Pause Function	Yes	Yes	Yes	Yes	Yes
Automatic Restart	Yes	Yes	Yes	Yes	Yes
Delay Start	Yes	Yes	Yes	Yes	Yes
Detergent Dispenser	Yes	Yes	Yes	Yes	Yes
Bleach & Softener Inlet	Yes	Yes	Yes	Yes	Yes
Built-in Lint Filter	Yes	Yes	Yes	Yes	Yes
Auto Unbalancing Detection	Yes	Yes	Yes	Yes	Yes
Drum Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Adjustable Leg	Yes	Yes	Yes	Yes	Yes
Rat-Proof Base	Yes	Yes	Yes	Yes	Yes
Two water Inlets (Hot & Cold)	Yes	Yes	Yes	Yes	Yes
Net Dimensions (mm)	601x625x1015	580 x 605 x 9563	560 x 895 x 575	601 x 611 x 1015	545 x 560 x 940
Packing Dimensions (mm)	660x685x1075	617 x 630 x 1016	604 x 990 x 614	660 x 685 x 1065	600 x 620 x 1000
Net weight (unpacked) kg. with pump	45	41	37	45	36
Gross weight kg	53	45	42	53	40
Loading 20/40/40HC	48\108\108	54\114\150	54/114/157	48\108\108	54/114/155

SPECIFICATIONS: DISHWASHERS

Model	DW816I / DW816IS	DW999XES	DW814EW / DW914ES	DW514E	DW909XES	DW214C
Main Features						
Installation	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Countertop
Capacity (place settings)	12	14	12	8	14	6
Energy Consumption (KWH)	1. 05KWH/cycle	1.08KWH/cycle	1.05KWH/cycle	0.74KWH/cycle	266KWH/year	0.63KWH/cycle
Water Consumption (L)	16L/cycle	16L/cycle	16L/cycle	12.9L/cycle	3080L/year	8.4L/cycle
Energy Efficiency (EN50242)	A	A	A	A	A++	A
Cleaning Efficiency	A	A	A	A	A	A
Drying Efficiency	B	A	A	A	A	B
Noise Level	51dB(A)	52dB(A)	55dB(A)	55dB(A)	49dB(A)	/
Controls						
Type of control	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Push button functions	on/off, program, start	on/off,half load,delay,program	on/off, Start/reset, All in 1	on/off, Start/reset, All in 1 function	Program,Child lock, Delay Start, On/Off	On/Off, Start/reset, Program,delay
Knob/command function	/	/	Program	Program	/	/
Program	5	7	4	4	**7**	5
3 in 1 (All in 1)	/	3 in 1 (All in 1)	3 in 1 (All in 1)	3 in 1 (All in 1)	/	/
Intensive	Intensive	Intensive	/	/	Intensive	Intensive
Normal	Normal	Normal	Normal	Normal	Normal	Normal
Economy	/	Economy	Economy	Economy	Eco	Eco
Rinse (I hour)	Rinse	Rinse (I hour)	/	/	1 Hour Express	/
Glass	Delicate	Glass	/	/	Glass	/
Rapid	Quick Wash	/	Rapid	Rapid	Rapid	Rapid
Soak	/	Soak	/	/	Soak	Soak
Indicators						
Type of indicator	LED	7-segment LED	LED	LED	LED	LED
Special Features						
Water sensor	Yes	Flowmeter	Flowmeter	Flowmeter	/	Flowmeter
Antiflood device	Floating switch	Floating switch	Floating switch	Floating switch	/	Floating switch
Indicator display	/	/	/	/	Programs,rinse aid,salt,Delay start,remaining time, error codes	/
Indicator function	/	/	/	/	/	fill rinse aid, fill salt
Technical & Internal Specification						
Removable top	Yes	Yes	Yes	Yes	Yes	No
Type of heating element (standard/hidden)	Hidden	Hidden	Hidden	Hidden	Hidden	hidden
Power of heat element	1900	1800	1800	1800	1800	1200
Filter type		self-cleaning filter system	self-cleaning filter system	self-cleaning filter system	Micro/Main/Flat	Easy Cleaning
Filter material	Plastic+stainless steel	Plastic+stainless steel	Plastic+stainless steel	Plastic+stainless steel	Plastic+stainless steel	Plastic+stainless steel
Tub material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
height adjustable upper basket	/	Yes	Yes	Yes	Yes	/
Foldable bottom plate racks	/	Yes	Yes	Yes	/	yes
Spray arms (2/2+top spray)	2	/	/	option	Upper & Lower&Top	Low Spray
Third Layer Cultery Basket	On the top basket + Ergonomic rack handle	/	/	/	Yes	No
Half Load	/	/	/	/	No	Yes
Child Lock	/	/	/	/	Yes	No
Dualzone Wash (Alternative Wash)	/	/	/	/	Yes	No
Dispenser system	Yes	Detergent&Rinse aid	Detergent&Rinse aid	Detergent&Rinse aid	/	Detergent&Rinse aid
Water softener	Yes	Yes	Yes	Yes	Yes, Electronic Adjustable	Yes
Delay timer	/	24	/	/	1-24H	/
Drying system	Residual drying	Residual drying	Residual drying	Residual drying	Natural Drying	residual drying
Temperature of inlet hose	10bar 90°Cmax	cold water	cold water	cold water	/	cold water/hot water
Inlet hose length	1640mm	1500	1500	1500	1500mm	1500
Outlet hose length	1700mm	1500	1500	1500	1500mm	1200
Connected load	cold water	1760/1930/2100	1760/1930/2100	1760/1930/2100	1760/1930/2100	1280W
Voltage /	230V	220/230/240/	220/230/240/	220/230/240/	220/230/240/	220/230/240/
Frequency	50Hz	50/60	50/60	50/60	50/60	50/60
Product dimension	600*596*850	600*630*850	600*580*850	450*580*850	598*620*845	550*530*438
Packaging dimension	660*655*890	635*745*885	635*620*885	485*620*885	630*652*889	590*610*485
Qty per 20'	54	54	54	84	54	108
Qty per 40'		108	114	172	108	240
Qty per 40HQ	162	162	170	256	162	300

SPECIFICATIONS: DRYERS

Model	CD888 Inox	D808 Inox	D762L
Type	Condenser Dryer	Vented Dryer	Vented Dryer
Number of Heat Settings	2	2	2
Reverse Tumble	2	2	2
Laminated Table Top	Yes	Yes	Yes
Maximum Load Capacity	8	8	7
Rear Draining	Yes	Yes	Yes
Drain Hose	Yes	Yes	Yes
Easy Access Fluff Filter	Yes	Yes	Yes
AMP	16A	16A	10A
Door Opening Width (cm)	40	40	28
Door Type	Large Square	Large Square	Large Round
Door Window	Yes	Yes	Yes
Door Hinged Left/Right Option	Yes	Yes	No
Removable Top Drainage Container	Yes	N.A	N.A
Indicator Light for Top Drainage	Yes	N.A	N.A
Pump to Drain Option	Yes	Yes	Yes
Final Cool Down Tumble	Yes	Yes	Yes
Drum Material	Stainless Steel	Stainless Steel	Stainless Steel
Program Selector	Yes	Yes	Yes
Timer	Yes 140minutes	Yes 140minutes	Yes 120minutes
Number of Control Buttons	2	2	3
Start Button	Yes	Yes	Yes
Power Input	2900W	2200W	2300W
ENERGY LABEL	C	C	C
Net Dimensions (cm)	59.5x85x59	59.5x85x53	
Grossweight (packed) kg.	38.5	33	
Net weight (unpacked) kg.	37.5	32	
Loading 20/40/40HC	54/108/108	84/176/195	60/120/160
Origin	United Kingdom	United Kingdom	Italy

SPECIFICATIONS: COOKERS

Model	CP96XVRM	CP965XCI	CP965XMOCI	CP664XCI	CP664XMOCI	CM95C	C965XRS	C9650XCRI	C9642XRI	C64VSGRI	C64EWR	C64WGI	C64SGI
Width x Depth (cm)	90X60	90X60	90X60	60X60	60X60	90X60	90X60	90X60	90X60	60X60	60X60	60X60	60X60
Asthetics	Professional	Professional	Professional	Professional	Professional	Flat	Flat	Flat	Flat	Flat	Flat	Flat	Flat
Height (cm)	90	90	90	90	90	90	90	90	90	90	90	90	90
Available Colors	Stainless Steel	Stainless Steel. Black	Stainless Steel. Black	Stainless Steel. Black	Stainless Steel. Black	Stainless Steel. Black. White. Beige	Stainless Steel. Black. White	Stainless Steel. White	Stainless Steel. White	Stainless Steel. White	Stainless Steel. White	Stainless Steel. White	Stainless Steel. White
Hob Specifications	5 Vetroceramic Elements **	5 Gas Burners	5 Gas Burners	4 Gas Burners	4 Gas Burners	5 Gas Burners	5 Gas Burners	5 Gas Burners	5 Gas Burners	4 Vetroceramic Elements	4 Hotplates	4 Gas Burners	4 Gas Burners
Burner or Vetroceramic Brand	Schott Ceran	Italian SABAF	Italian SABAF	Italian SABAF	Italian SABAF	Italian SABAF		Italian SABAF	Italian SABAF	Schott Ceran	N.A.	Italian SABAF	Italian SABAF
Triple Burner	N.A.	2	1	1	1	1	1	1	No	N.A.	N.A.	No	No
Electric Plate	N.A.	No	No	No	No	No	No	No	2	N.A.	1x80, 1x145, 2x180	No	No
Automatic Ignition	N.A.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N.A.	N.A.	Yes	Yes
Burner Safety	N.A.	Yes	Yes	Yes	Yes	No	Yes	Optional (FS Series)	Optional (FS Series)	N.A.	N.A.	No	No
Gas Safety Oven	N.A.	Yes	Yes	Yes	Yes	No	Yes	Optional (OS Series)	Optional (OS Series)	N.A.	N.A.	Yes	Yes
Lid	N.A.	Yes	N.A.	N.A.	N.A.	Crystal Glass	Crystal Glass	Crystal Glass	Crystal Glass	N.A.	N.A.	Crystal Glass	Crystal Glass
ADS Anti Drop System on the Lid	N.A.	N.A.	N.A.	N.A.	N.A.	Yes	Yes	Yes	Yes	N.A.	N.A.	Yes	Yes
Pan Support Material	N.A.	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Enameled Steel	Cast Iron	Enamelled Steel	N.A.	N.A.	Enameled Steel	Enameled Steel
Burner Cover	N.A.	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Enameled Steel	Cast Iron	Enamelled Steel	N.A.	N.A.	Enameled Steel	Enameled Steel
Oven Door	Removable Inner Glass	Removable Inner Glass	Removable Inner Glass	Removable Inner Glass	Removable Inner Glass	Double Glass	Removable Inner Glass	Slide Out Inner Glass	Slide Out Inner Glass	Double Glass	Double Glass	Double Glass	Double Glass
Gas Bottle Compartment	No	No	No	No	No	Yes	No	No	No	No	No	No	No
Slide Out Inner Glass	Yes	Yes	N.A.	Yes	N.A.	No	No	Yes	Yes	No	No	No	No
Simultaneous use Gas Grill + Gas Oven	N.A.	Yes	N.A.	Yes	N.A.	Yes	Yes	Yes	Yes	N.A.	N.A.	No	No
Gas Thermostat	N.A.	N.A.	Yes	N.A.	Yes	Yes	Yes	Yes	Yes	N.A.	N.A.	Levels	Levels
Multifunction Oven	3 Resitance *	N.A.	Double Fans	Yes	Yes	N.A.	N.A.	N.A.	N.A.	Yes	Static Oven	N.A.	N.A.
Gas Grill	N.A.	Yes	N.A.	Yes	N.A.	Yes	Yes	Yes	Yes	N.A.	N.A.	Yes	Yes
Turnspit	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	R series	R series
Ovenlight	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelf Position	5	4	4	4	4	5	4	5	5	6	6	6	6
Number of Grid	1	2	2	2	2	1	1	1	1	1	1	1	1
Number of Roasting (Deep) Tray	1	1	1	1	1	1	1	1	1	2	1	1	1
Timer	Yes Digital LED	Yes	Yes Digital LED	Yes	Yes Digital LED	Yes	Yes	Yes	Yes	Yes	No	No	No
Storage Compartment	Drawer	Drawer	Drawer	Drawer	Drawer	Drawer	Drawer	Drawer	Drawer	Flap Down	Flap Down	Flap Down	Flap Down
Adjustable Feet	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Telescopic Large	Yes/Small	Yes/Small	Yes/Small	Yes/Small

CAMPOMATIC PRODUCTION FACILITIES

FABRIANO . ITALY

PADOVA

CAMPOMATIC

AMPOMATIC

CAMPOMATIC HEADQUARTERS

Sculptures by Rabarama
Paintings by Cinzia Pellin

Photography by

REGIONAL OFFICES

Campomatic (Italia) S.R.L
Via Configliachi 5/B . Abano Terme (Padova) . Italia . CAP 35031
tel: + 39 33 5775 1237 . fax: + 39 049 866 8571
www.campomatic.it . e-mail : europe@campomatic.com

Campomatic Hong Kong LTD
10A Seapower Industrial Center . 177 Hoi Bun Road . Kwun Tong . Kowloon . Hong Kong
tel: +852 2345 7555 . fax: +852 2357 5452
www.campomatic.asia . e-mail : asia@campomatic.cn

Campomatic Gulf Trading L.L.C
Dubai Investement Park . P.O.Box 119826 . Dubai . United Arab Emirates
tel: + 971 4 885 0670 . fax: + 971 4 885 0677 . Toll Free: 800 CAMPO (22676)
www.campomatic.com . e-mail : uae@campomatic.com

Campomatic Offshore S.A.L
Campomatic Headquarters Building . Dora Highway . Metn . Lebanon . PC 2601
tel: + 961 1 252 777 . fax: + 961 1 254 777
www.campomatic.me . e-mail : campomatic@campomatic.com

DISTRIBUTORS

Campomatic (Italia) S.R.L
Via Configliachi 5/B . Abano Terme (Pdova) . Italia . CAP 35031
tel: + 39 33 5775 1237 . fax: + 39 049 866 8571
www.campomatic.it . e-mail : europe@campomatic.com

Campotec Distribution S.A.L PC 2601
Campomatic Headquarters Building . Dora Highway . Metn . Lebanon
tel: + 961 1 252 777 . fax: + 961 1 254 777
www.campomatic.me . e-mail : campomatic@campomatic.com

Campomatic Gulf Trading L.L.C Toll Free : 800 CAMPO (22676)
Dubai Investement Park . P.O.Box 119826 . Dubai . United Arab Emirates
tel: + 971 4 885 0670 . fax: + 971 4 885 0677
www.campomatic.com . e-mail : uae@campomatic.com

Video Home & Electronic Center
LG Life Style Gallery . P.O Box 4668 . Air Port . Al Wakra Rd . Doha . Qatar
tel: + 974 44011777 . fax: + 974 44761715
e-mail : vdohmqat@qatar.net.qa

Cine Laser
01 BP 6138 Abidjan 01 . Cote d'Ivoire
tel: + 225 21 35 54 11 . fax: + 225 21 35 54 12
www.icestream-ci.com . e-mail : klaitimad@hotmail.com

Mukhtar Electronics
6th Floor . Office #4 . Elkhayam Tower . Abdulhamid Deroubi Street . Homs
Syria. tel: + 202 227 32031 . fax: + 202 227 32042
e-mail : info@magenta-eg.com

Alireza Holding Company RC Number: 4030121600
Jeddah Madina Rd . Alireza Tower . 10th floor . P.O.Box 23612 . Jeddah 21436
Saudi Arabia . tel/fax: + 966 2650 4000 . mob: + 966 2650 0006
e-mail : campomatic.sales@alirezaholding.com

Magenta for Industry & Trading (M.I.T)
1 Makram Ebied City Light Buildings . 10th floor . Nasr City . Cairo . Egypt
tel: + 202 227 32031 . fax: + 202 227 32042
e-mail : info@magenta-eg.com

For complete list of distributors worldwide, visit our website www.campomatic.com

Copyright© Campomatic (ITALIA) S.R.L. Any part of this catalogue may not be reproduced in any form without the prior written consent of Campomatic S.R.L Our products are sold worldwide, therefore product design & features may differ in your country .Models & specifications are subject to change without notice for further improvement.